


**MERCHANTS' SQUARE
CARMEL, INDIANA
A REDEVELOPMENT PLAN**

DRAFT



SPECK & ASSOCIATES LLC

AECOM

SUBMITTED SEPTEMBER 18, 2012

CRIFE ARCHITECTS + ENGINEERS



TABLE OF CONTENTS

I.	Introduction	1
II.	Existing Conditions.....	4
III.	Design Principles	10
IV.	Design Strategy and Process	14
V.	The Illustrative Plan: Short Term	24
VI.	The Illustrative Plan: Long Term	32
VII.	Plan Capacity	36
VIII.	Beyond Merchants' Square.....	42
IX.	The Regulating Plan and Street Sections.....	48
X.	The Design Regulations	Appendix



The transformation of Merchants' Square holds the potential to be a demonstration project of lasting significance. The challenge presented by America's suburban commercial centers, in some ways epitomized by Merchants' Square, is to redevelop a somewhat viable but auto-centric environment into a pedestrian-friendly place of civic life, while limiting negative impacts on existing businesses and residents. We believe that such a transformation is possible at Merchants' Square, and that this site's evolution can serve as a model for literally hundreds of similar sites across the country.



Merchants' Square is currently characterized by single-story retail buildings enfronted by large parking lots.

The Type

The phenomenon of the large suburban shopping center is well described in the *Sprawl Repair Manual*, by Galina Tachieva:

"Stores are necessary and valuable components of neighborhoods and cities when they are woven into the urban fabric and easily accessible. Indeed, shop fronts are among the most inter-

esting elements of a street. But when they are conceived in high concentrations, isolated from residences and workplaces, they contribute to [car-dependent] sprawl. The repair of such sprawl elements remediates the lack of a block structure and connectivity to the surrounding context, the over-scaled parking lots at the front of buildings, the lack of civic and green space, and, most importantly, the full dominance of a single use.

"Following the exodus of residents from urban areas, shopping centers multiplied and flourished in the decades of federal incentives between 1954 and the Tax Reform act of 1986. In hopes of stimulating the economy, the federal government granted tax breaks to cheap, new construction through accelerated depreciation. Most commercial development in suburbia was financed as a seven- to 15-year asset class, meaning that developers built cheaply and with no concern to the long-term viability of their projects. . .

"According to the ICSC, there are 23.1 square feet



These images, from Galina Tachieva's Sprawl Repair Manual, show how automotive urbanism can be shaped into walkable urbanism through the transformation of arterials and parking lots into a network of smaller streets and blocks. (Tachieva 115)

of retail space per person in the U.S., amounting to 7 billion feet of gross leasable area. It is difficult to imagine the retail industry growing any time soon, especially after the meltdown of 2007-2009, when the largest players in the business suffered tremendous losses and bankruptcies. The image of boarded-up, dilapidated storefronts in shopping centers has become a common sight in the suburbs. . .

"Distressed retail properties have potential for redevelopment for less than the cost of new construction, and, if they have good location, at important intersections, relative integration within communities, and not too much competition at close vicinity, such repairs can be successful. . .

"The repair of shopping centers has a range of social benefits. By introducing apartments above commercial premises, it provides affordable housing for workers and senior citizens, who will be able to walk to their daily needs and continue living independently. The area will be inhabited 24

customers in the first place. It could succeed by making other places fail—a questionable planning strategy—and moreover would require the attraction of retail anchors that are not likely available in today's economy.

The second strategy would take advantage of the development's location along major transportation infrastructure to introduce residential and office uses in a way that complemented a less ambitious amount of retail space, in order to form a more balanced and complete community. By integrating these uses into a walkable framework of streets, blocks, and squares, this strategy could create a true urban neighborhood of the type that allows for continual evolution while retaining its value over time.

This study addresses both Merchants' Square and the larger area that surrounds it. It makes short-term and long-term proposals for the site and—importantly—its long-term proposals grow out of the short-term ones. It illustrates and discusses the capacity of one ideal redevelopment scheme, and presents a regulating plan and code that, if made law, will ensure that any ultimate scheme corresponds to best practices in urban design. This study is intended to allow and encourage the redevelopment of Merchants' Square in a way that gives it a long-term life beyond the quick cycles of retail asset depreciation, and makes it, more than just a shopping center, a place of character and community.



Merchants' Square seen from the northeast. Merchants' Pointe is visible at left.

EXISTING CONDITIONS

Boundaries

While the focus of this study is on Merchants' Square proper, its boundaries have been extended to allow the integration of the shopping center with its surrounding area, and to spur the redesign of some key nearby parcels that are either currently undergoing redevelopment or in need of it.

As can be seen in the accompanying image, Merchants' Square itself is bounded by Keystone Parkway to its east, AAA Way to its west, 116th Street to its south, and, to its north, by Station Drive, the ring road that separates it from Carmel Drive. Because Carmel Drive is such an important east-west corridor, these interstitial properties—an array of a dozen pad sites—also merit our long-term attention. One additional site across Carmel Drive, currently containing the Fountains catering hall, is currently undergoing redesign and should therefore also be considered.



The study area.

Across 116th Street to the south is Merchants' Pointe, a relatively new collection of commercial sites that, despite its limited size, fails to provide any sense of continuity among its scattered buildings. For this reason among others, both its Borders bookstore and Longhorn Steakhouse have failed, and other space remains empty. It is hoped that a limited redesign of this site, along with a better connection to Merchants' Square, might allow it to succeed.



Merchants' Pointe includes several failed businesses, including its bookstore anchor to the southeast.

Just west of Merchants' Square and south of the post office sits another strip shopping center that has failed to attract a healthy tenant mix. Perhaps because it enjoys neither pedestrian connectivity to the Marsh supermarket nor visibility from any major thoroughfare, it is mostly empty and currently up for sale. This site and its surroundings also merit study.



This strip center south of the Post Office is largely empty.

The first main north-south thoroughfare west of Merchants' Square is Range Line road, more than a half-mile away. This corridor already benefits from its own planning overlay, which has been successful in causing new construction to meet superior urban design criteria. Several important sites on the west side of Range Line Road are currently undergoing redesign, and so they are also considered here: the Party Time site north of Carmel Drive, and the large shopping center north of 116th Street.

As the principal east-west connections within this area, Carmel Drive and 116th Street both warrant consideration. However, what on earth is to be done with the majority of the land pictured at right, the rectangle bounded by Carmel Drive, 116th Street, Range Line Road, and Merchants' Square? This large sector, the size of perhaps ten standard city blocks, is bisected only by Medical Drive. Built according to now discredited car-centric development patterns, it contains a large amount of asphalt but almost none of it connects

to anything else. Dead-ends, loop roads, gates, and an absence of urban design criteria all contribute to an environment of individual addresses lacking any sense of cohesion. All the elements of city-making are here—homes, shops, offices, and civic institutions in significant number—but these pieces don't add up to any sort of larger community, because walking between them is inconvenient and unpleasant, where it is not impossible. While unsuccessful as walkable urbanism, this area is not unsuccessful by other measures. It performs acceptably economically, and none of it is blighted or hazardous. While it no doubt generates more automobile trips than any other type of urbanism, this alone is not a reason for its abandonment. By its own planning criteria, this area "ain't broke," so why fix it?



The majority of the study area is organized as independent pods and is not able to receive a connective street network without major condemnation.

EXISTING CONDITIONS

More to the point, how to fix it? Thanks to its gigantic block structure and fundamentally unworkable organizational patterns, making it something different would require a level of condemnation and replacement that is not justified by its current stable condition. For that reason, this study presumes that this sector has essentially reached its ultimate development condition and does not warrant further consideration.

Because of their independent nature, the additional sites along Range Line Road shall receive their own section of this report. The principal discussion that follows will address the area surrounding Merchants' Square only. The paragraphs that follow will describe this sector further in terms of buildings, thoroughfares, and landscape.

Buildings

The goal of this study was to propose the smallest short-term intervention that would be impactful enough to fundamentally change the nature of Merchants' Square from drivable to walkable. (A longer-term proposal will reflect more dramatic changes over time, but that plan presumes a greater amount of demolition than seems currently possible.) An early step in the process, then, was to determine which buildings might be expendable in the short run and, further, which buildings would have to be removed if real change were to be possible. It was hoped that these two lists could overlap entirely.


The greatest challenge to redeveloping suburban sites is the multiplicity of property ownership. When an entire site belongs to a single en-

tity, then it is easy to imagine a single negotiation yielding that site for reconstruction. In the case of Merchants' Square, there is good news and bad news. The good news is that a majority of the property is owned by a single entity, the Ramco-Gershenson Properties Trust (hereafter referred to as "Ramco"), which is prepared to dispose of its holdings at a reasonable price. The bad news is that almost all the other businesses on site are the fee-simple properties of individual companies, every single one of which would have to participate if a global redevelopment were desired.

The site analysis shown on the next page describes the land-use (by color) and the names of key businesses. Within that map, the smaller diagram shown at right indicates which properties are under Ramco ownership and which are owned by individual entities. A first tactic of this planning effort was to acknowledge the greater viability to focus development on the property owned by Ramco.

As seen in the illustration, the Ramco properties constitute the heart of Merchants' Square, with the exception of the Marsh supermarket. Given its current success and its value to a future neighborhood on this site, this supermarket and its front parking lot were considered off the table for short-term redevelopment.

Within the main Ramco building, it is important to note the southern half of the structure is largely leased up while the northern half is largely vacant. Ramco acknowledges that this southern piece is more valuable than the northern piece, due largely to its visibility from 116th Street. While it con-



Ramco-owned properties are shown here in grey.



BUSINESS/TENANT LEGEND

- PARCEL OWNERSHIP:**
 Ramco Gershenson
 Buckingham
- | | | | |
|----|---|-------|---|
| 21 | Vacant | 53 | Parking Lot |
| 22 | Forum Credit Union | 54 | Parking Lot |
| 23 | Zhu Lan Asian Buffet | 55 | Parking Lot |
| 24 | Vacant Longhorn Steakhouse | 56 | Goodwill Store / Nails |
| 25 | Romano's Macaroni Grill | 57 | FC Tucker Real Estate |
| 26 | Vacant Border's Books | 58 | Carmel Kitchens / Cox & Shepard |
| 27 | Carson Design Assoc. / Sprint | 59 | Box Co / Runner's Forum / Tux Shop |
| 28 | MacAllister's Deli / Vacant Retail | 60 | AAA Motor Club / Digestive Health |
| 32 | Governor Square Apartments | 61 | Indy Tire Center |
| 33 | Governor Square Apartments | 62 | M&I Bank |
| 34 | Office Park | 63 | M&I Bank |
| 35 | Office Park | 64 | M&I Bank |
| 36 | Office Park | 67 | Play It Again Sports / Karate |
| 37 | Winslow Aesthetic & Wellness | 68-72 | Post Office |
| 38 | Tuchman Cleaner / Hamilton Bvg. | 73 | Carmel Dental Building |
| | Hardees / PNC Bank | 74 | Family Physicians of Carmel |
| 39 | Wendy's | 75 | Walker Oral Surgery |
| 40 | Jiffy Lube | 76 | James B Carr, Dentist |
| 41 | Marsh Supermarket | 86 | Family Christian Store |
| 42 | Wooden Key / Party Tree / Glamour Nails | 87-88 | Steak 'n Shake Restaurant |
| 43 | Car X / Pool Place | 89 | Einstein Bros Bagels |
| 44 | Vacant Chipotle Restaurant | 90 | Taco Bell |
| 45 | MCL Cafeteria Restaurant | 91 | National Bank of Indianapolis |
| 46 | Right of Way | 92 | Key Bank |
| 47 | Carraba's Restaurant | 93 | Fazoli's Restaurant |
| 48 | Parking Lot | 94 | Ultimate Carwash |
| 49 | Parking Lot | 95-96 | Flanner & Buchanan Mortuary/ Funeral Home |
| 50 | Panera H&R | 97 | Vine & Table Wine Shop |
| 51 | Classic Barber / Education Services | | |
| 52 | Cost Plus / Vacant / Arhaus / Ret Co | | |

LAND USE LEGEND

- Green Open Space
- Parking

BUILDING USE LEGEND

- | | |
|-------------------|----------------|
| Retail/Commercial | Office |
| Service Retail | Medical Office |
| Bank | Residential |
| Institutional | Vacant |
| Restaurant | |

UTILITY LEGEND

- | | |
|-----------------|----------|
| Stormwater | Sanitary |
| 30" - 48" | |
| 18" - 24" | |
| Detention Basin | |
| Gas | |
| Telecom. | |



Merchant's Square Site Analysis

The site analysis describes building use and names key businesses. Note: Parcel Ownership numbers are only listed in key for commercial properties.

EXISTING CONDITIONS

tinues to look for tenants for the northern piece, Ramco understands that a redevelopment of the site that eliminates the northern half of the main building may be a reasonable outcome.

To the east of this building are two additional Ramco-owned retail strips. These are largely leased and should not be slated for demolition unless necessary. To the west of the main building is the largely empty retail structure already discussed, whose failure makes it a prime candidate for redevelopment. Between the main building and 116th Street are six pad sites (one double), some but not all of which are owned by Ramco, and two of which are vacant. These generally valuable high-visibility sites should be slated for redevelopment only as necessary to achieve a successful outcome.

A similar approach should be applied to Merchants' Pointe, each parcel of which is under separate ownership. To the degree that a building must be removed to ensure a proper connection to Merchants' Square and a walkable layout, such an outcome should be proposed. But all of the buildings in this development are fairly new, so demolition should be avoided where possible.

Finally, to the east and north of Merchants' Square, reaching to the Keystone Parkway and to Carmel Drive, sit more than 15 buildings under independent ownership. While the potential for their long-term redevelopment should not be ignored, any viable short term plan would not suggest that many of them be acquired, given the likely complexity of such an effort.

Thoroughfares

As discussed, the Merchants' Square property is surrounded by Carmel Drive to its north, 116th Street to its south, and the Keystone parkway to its east. The Parkway is effectively a barrier, providing access to the site only indirectly. This access occurs from both of the other two streets, as well as via a southbound access road reached via the Carmel Avenue "peanut" roundabout. Cars exiting the Parkway at Carmel Drive can loop directly onto this access road in order to enter Merchants' Square near its north-south midpoint.

As they connect Keystone Parkway to Range Line Road, both Carmel Drive and 116th Street pass by Merchants' Square in the form of 4-lane arterials with center turn lanes at key intersections. Each handles about 20,000 cars per day, with major pulses during rush hours. All the remaining streets within this area handle fairly low amounts of traffic, although that traffic sometimes backs up at parking lot pinch-points, most notably at the southeast corner of the main building.

Within Merchants' Square, the central area is surrounded by a loop road that is named Station Drive to the north and Keystone Way East to the east and south, where it separates the main front parking lots from the pad development along 116th Street. To the east, this road seems redundant with the Keystone Parkway access road, except that it provides two-way travel while the access road only heads south. Like many loop roads, this one contains two wide lanes, the occasional left-turn lane, and no parallel parking. A second road, also called Keystone Way (not "East"), runs along the south front of the main building and then loops

north along the eastern strip, ultimately reaching to Carmel Drive. North of Station Drive, this street is designed as a loop road. South of that point, it is essentially a parking-lot drive lane.

To the south, Merchants' Pointe is served by a single broad avenue, holding no parking, that



Within Merchants' Square and Merchants' Pointe, loop roads and parking lot access lanes create a network of large blocks.

seems oversized for the amount of real estate it serves. Interestingly, alternative east-west access is provided within the first lane of the long parking lot that sits immediately to its south.

Landscape

As is common with the car-centric planning model, the entire Merchants' Square area contains not a single civic open space of any quality. The small amount of green area provided takes the form of a fenced detention basin (to the east of the Post Office) and of a few over-wide road shoulders, for example where Merchants' Square Drive meets Medical Drive. None of this scant green space is programmed or landscaped in a way that invites human activity.

DESIGN PRINCIPLES

The central objective of the plan was to create, to the greatest extent possible, a truly walkable urban environment. Achieving this outcome required that the design be based upon a full understanding of the various environmental factors that contribute to walkability. While there are many harsh environments in which people are physically able to walk, there are few in which they actively choose to walk, especially when the option of driving is available. The following four sections provide a hierarchy of conditions that the redevelopment must satisfy if the average person is going to make that choice. Each is necessary but not alone sufficient. They are:

- A reason to walk;
- A safe walk;
- A comfortable walk; and
- An interesting walk.

A Reason to Walk

As Jane Jacobs noted, “Almost nobody travels willingly from sameness to sameness. . . even if the physical effort required is trivial.” For people to choose to walk, the walk must serve some purpose. In planning terms, that goal is achieved through mixed use. Or, more accurately, placing the proper balance of the greatest number of uses all within walking distance of each other. This effort must be coupled with an identification of key anchors, including parking lots, so that special attention can be paid to the paths between them.

While the market may suggest a higher demand for one type of land use over another, any large plan must resist the temptation to provide only



Automobile-oriented development (left) isolates different land uses on large properties at significant distance, connected by few, it's broad streets. Walkable development (right) integrates different land uses into compact areas connected by many small streets.

those activities that seem most immediately viable. While plans can and should avoid committing developers to a set amount and location of specific uses, they should commit to a healthy balance of housing, office space, and retail activity.

It could be said that Merchants' Square is currently experiencing the legacy of its original sin, which is to have been laid out as an area that excluded all but one land use (retail). A tiny amount of office space is located within walking distance, and the nearest residential development, Governor Square, fails to provide any attractive pedestrian access to it. After dinner, Merchants' Square is deserted.

As already suggested, it is likely that the future of Merchants' Square will include less retail square footage than is currently present. In the place of

this eliminated retail should be buildings containing housing and office space. In accordance with New Urban best practices, the allocation of space between these two uses should be flexible, with the caveat that housing and office should be proximate so that they can share parking areas around the clock, since their parking loads are complementary. Eventually, structured parking lots may allow a further densification of the site with yet more housing and offices. Where additional retail square footage can be justified—perhaps by the increased population—these buildings should contain shops on their ground floors.

A Safe Walk

While crime is always a concern, most people who avoid walking do so because the walk feels dangerous due to the very real threat of vehicles

moving at high speed near the sidewalk. Statistically, automobiles are much more dangerous to pedestrians than crime, and the key to making a street safe is to keep automobiles at reasonable speeds and to protect pedestrians from them. This is achieved by meeting the following eight criteria:

- *A network of many small streets.* Generally, the most walkable places are those with the smallest blocks, because many small blocks allow for many small streets. Because traffic is dispersed among so many streets, no one street is required to handle a great amount of traffic, and that traffic does not reach a volume or speed that is noxious to the pedestrian. The challenge for this plan is to create a delicate small-block network to the greatest degree possible, given the economic impediments to tearing down viable structures.
- *The appropriate number of lanes.* Oversized streets are more difficult to cross, and cause speeding. For this reason, only Carmel Drive and 116th Street should contain a four-lane configuration, and these should not be widened further in the future. No other street within the study area should provide more than a single lane in each direction.



Streets of many lanes make crossings tougher and invite higher speeds.

- *Lanes of the proper width.* Different-width traffic lanes correspond to different travel speeds. A typical urban lane width is 10 feet, which comfortably supports speeds of 30 MPH. A typical highway lane width is 12 feet, which comfortably supports speeds of 60 MPH or more. Drivers instinctively understand the correlation between lane width and driving speed, and speed up when presented with wider lanes, even in urban locations. The pedestrian-oriented streets within this plan should all be sized for urban speeds, which in many cases means replacing 12-foot lanes with 10-foot lanes.
- *Limiting curb cuts.* Every time a driveway crosses a sidewalk, pedestrians are endangered. Front parking lots, drive-throughs, and porte-cocheres are suburban solutions that are not appropriate to walkable environments. Any parking lots or drive-throughs should be accessed off of rear alleys, and front drop-offs can be accomplished by reserving a few on-street parking spaces for that use.
- *Continuous on-street parking.* On-street parking provides a barrier of steel between the roadway and the sidewalk that is necessary if pedestrians are to feel fully at ease. It also causes drivers to slow down out of concern for possible conflicts with cars parking or pulling out. Every pedestrian-oriented street should be designed for continuous parking against sidewalks, in stark contrast to the current no-parking condition. This mandate pertains even to 116th Street in locations where retail activity is placed along the sidewalk. As retail expert Robert Gibbs notes, few shops can survive without curb parking out in front.



Parked cars and street trees slow traffic and protect pedestrians.

- *Continuous street trees.* In the context of pedestrian safety, street trees are similar to parked cars in the way that they protect the sidewalks from the cars moving beyond them. They also create a perceptual narrowing of the street that lowers driving speeds. Closely-spaced street trees should be provided along every pedestrian-oriented street in the study area.
- *Avoiding swooping geometries.* Pedestrian-centric environments can be characterized by their rectilinear and angled geometries and tight curb radii. Wherever suburban swooping geometries are introduced—as where AAA Way curves—cars speed up, and pedestrians feel unsafe. The road network for the redevelopment should not be shaped around any minimum design speed, but rather should be restricted only by the turning motions of the largest vehicles that will be using it on a daily basis.



Compared to traditional tighter corners, large curb radii at intersections broaden crossing distances and encourage speeding.

- **Bicycle Network.** In addition to be a mandate in their own right, cyclists make streets safer for pedestrians by slowing cars down as they mix with traffic. The study area is of such a size that its redesign needs to consider how bicyclists will traverse it. In slower, two-lane streets, bicycles can simply occupy the travel lanes. But larger streets of regional significance must include dedicated cycle facilities. It should be noted that Carmel Drive and 116th Streets already function fairly well in this regard, since their sidewalks attract so few pedestrians that they effectively serve as bike paths. No similar north-south trajectory yet exists, and AAA way has been identified by the City as a prime candidate for bike lanes.

The above eight criteria lead directly to the street designs that are included in the redevelopment's Regulating Plan.

A Comfortable Walk

Evolutionary biologists tell us how all animals seek two things: prospect and refuge. The first allows you to see your prey and predators. The second allows you to know that your flanks are protected from attack. That need for refuge, deep in our DNA from millennia of survival, has led us to feel most comfortable in spaces with well defined edges. This is accomplished in several ways:

- **Streets Shaped by Buildings.** Streets lined by parking lots provide an inadequate sense of refuge and do not attract walking. Instead, street spaces should be shaped by the edges of buildings that pull up to the sidewalk. These buildings need to be of adequate height so that a 1:6 height-to-width ratio is not violated, ideally approaching 1:1. All pedestrian-oriented streets within the redevelopment,

need to be flanked by substantial buildings located at or near the sidewalk edge.

- **Avoiding Object Buildings.** In the traditional, walkable town, buildings take rectangular or other nondescript shapes in order to give shape to the spaces they surround – the streets and squares. In the modernist city of the automobile, buildings stand apart as sculptural objects. As a result, the space between them – the public realm – becomes residual and poorly formed. The buildings in this redevelopment must be shaped to make spaces, not as objects in their own right.



People are drawn to places that are well shaped by firm edges.

An Interesting Walk

Finally, even if a walk is useful, safe, and comfortable, people will not choose to go on foot unless it is also at least moderately entertaining. There needs to be something interesting to look at.

Humans are among the social primates, and nothing interests us more than other people. The goal of all of the designers who make our communities must be to create urban environments that invite,

and communicate the likely presence, of human activity. This is accomplished by placing “eyes on the street,” —windows and doors that open— and avoiding all forms of blank walls. These include the edges of structured parking lots, which must be shielded by a habitable building edge, at least at ground level. Communities that support walkability do not allow any new parking structures to break this rule.



Only a narrow building is needed to hide a large parking garage from the sidewalk.

The human presence is also made palpable by a variety in the architecture lining a trajectory. The buildings that surround a route should communicate the presence of many hands at work. This means that the same buildings should not be repeated block after block, and that buildings should appear to have been created by different designers. Such an approach is quite distinct from suggesting a variety of architectural styles—the most beautiful places in the world tend to be just one style—nor does it suggest that buildings should have complicated facades or be broken up into false segments (unless they are unusually large). Rather, the goal should be to cre-

ate a street of simple buildings that do not appear to have been built as a single “project.”

DESIGN STRATEGY AND PROCESS

Urban Triage

The principal design strategy brought to bear on the site was the concept of urban triage. This term refers to embracing the reality that not every street in a given area can be designed around the needs of the pedestrian. While it is possible to create new neighborhoods from scratch that are walkable throughout, this outcome is much more difficult to achieve in an existing area. Some thoroughfares may already be principally automobile-oriented—such as Carmel Drive and 116th Street. Others thoroughfares must be conscripted to perform a service function for the streets nearby. The need for utility sites and parking lots, combined with a desire for smaller blocks, can make it difficult, if not impossible, to line every block face with pedestrian-friendly building fronts.

This situation calls for a design strategy that allocates more- and less-walkable streets into distinctive networks so that, while every street is not walkable, those that are walkable all connect into a network of continuous excellence. A community made up of “front streets” and “back streets” is only a problem if one cannot stay on the former while avoiding the latter. Urban triage is the careful assignment of a more- or less-walkable status to each of the trajectories within the plan, and then ensuring that the excellent trajectories are not degraded by any of the anti-pedestrian forces that discourage walking. The useful, safe, comfortable, and interesting walk is thus protected by allowing for its alternative elsewhere.

Primary Network of Walkability

It can be said with some confidence that there is not a single location within Merchants’ Square or Merchants’ Pointe that satisfies the collective criteria of walkability described above. One spot comes close: the pinch point at the southeast corner of the main building, where one is briefly held between the corners of two buildings in a space that feels almost street-like. Otherwise, the development’s gigantic blocks, preponderance of parking lots, wide travel lanes, swooping geometries, and its complete absence of curb parking, street trees, and bicycle facilities all contribute to an anti-pedestrian environment.

Establishing a network of walkability within this bleak tableau is a challenge. Such a network, to be both meaningful and viable, should adhere to the following design criteria:

- It should be large enough to provide a critical mass of walkable streets and spaces. Ideally, it should take the form of a loop, so that one can walk its full length without doubling back.
- It should run along the front of existing stores that are to be retained, turning their front parking lots into streets and public spaces, typically lined by buildings on both sides.
- It should present an attractive and walkable face to 116th Street, from which it will draw most of its customers.

- It should connect Merchants’ Square seamlessly to Merchants’ Pointe, increasing the latter’s customer base.
- It should include small civic spaces at key locations in order to create meaningful destinations encouraging outdoor activity.
- It should require the demolition of as little existing properties as possible, focused principally on the northern half of the main Ramco property.

Applying the above six criteria to Merchants’ Square and Merchants’ Pointe led to the following design process.

1. DEMOLITION



2. THE 116TH STREET SQUARE



KEY

- DEMOLITION
- NEW/RECONFIGURED STREET
- NEW BUILDING



The study area is currently “built out,” in the sense that it has used all of its available land area for buildings and parking. Adding significant new uses to the site will require both structured parking and the demolition of buildings. For this reason, the plan begins with a determination to remove the northern half of the main Ramco Property. In order to connect Merchants’ Square properly to Merchants’ Pointe, and to allow both properties to frame 116th Street properly, it is also necessary to remove five pad sites (three to the north of 116th and two to the south) flanking the central entrance into Merchants’ Square. Finally, it is proposed that the non-performing strip center south of the post office be removed so that its site may support a more appropriate use.

The best way to create a development that brings life to both Merchants’ Square and Merchants’ Pointe is to unify them across 116th Street by turning that thoroughfare into a civic space of the highest quality. This is accomplished by splitting the four lanes of traffic around a central open space that functions as an elongated roundabout but looks and feels like a town square, including parallel parking along all curbs to protect the sidewalk. Key to the walkability of any public space is its surrounding building fronts, so every new street or square—especially this one—must be lined by buildings to the greatest degree possible.

3. THE NORTH-SOUTH AXIS



The connection north from Merchants' Pointe begins on the center of the best façade in the development, the symmetrical building holding Carson Design Associates. From here it crosses 116th Street to Keystone Way East, where it must shift east in order to pass along the storefronts of the eastern strip building that holds the Qdoba Grill, to terminate on Keystone Way at the most walkable location in Merchants' Square. Again, new buildings are added where necessary to properly define street edges.

4. THE NORTHERN PARKING STRUCTURE



If they are to be of substantial height, the buildings on the north side of the new plaza will require much more parking than is available in the remaining surface parking areas on site. These are provided in a parking structure, which can be conveniently be located at the jog of the main street, where its entrance prominently terminates views from the south. In this location, the structure separates the Main street from the Marsh parking lot, and must contain a partial retail ground floor so as not to blight surrounding sidewalks.

5. KEYSTONE WAY AS A STREET



As it passes in front of the Marsh and Ramco properties, Keystone Way is next reconceptualized as a proper street, with parallel parking, sidewalks, and street trees. It is also allowed to continue all the way east to Keystone Way E., where it improves the porousness and effectiveness of the street network by providing an alternative east-west trajectory. This street does not receive any other new buildings to its south, because the Marsh supermarket requires direct visibility from its lot in the short term.

6. THE LINEAR SQUARE



Freed of much of its demand by the adjacent demolition, the parking lot to the east of the Ramco building can be transformed into a proper public square, as befits its fairly ideal 150-foot width. Well-bounded to the south and east, this square also requires a proper building edge to its north and west.

7. THE WALKABLE LOOP



The removal of the northern half of the main Ramco building provides ample room for the inclusion of a new walkable street that can reach around the back of the Marsh site in order to then turn south along AAA Way, to connect back to its front. This street angles slightly north to intersect AAA Way at a right angle, providing a more interesting series of vistas. If properly provided with parking, buildings along this street could serve a variety of uses, but it is likely that the retail component of the redevelopment will not continue north or west of the Linear Square, given the limited demand for new shopping in this area.

8. THE RECONFIGURED SWOOP



In addition to communicating an automotive environment, the swoop in AAA way currently brings it alongside the bleak flank of the Marsh supermarket. As has been achieved in other similar schemes, the trajectory of the street is reconfigured at a cleaner angle to create a long and narrow building site against the Marsh building, which can place proper doors on its sidewalk.

9. URBANIZING THE WESTERN STREETS




In order to remove current swoops and to make better use of leftover green space, Merchants' Square Drive and Medical Drive are reshaped. This redesign creates a large triangular green that gives value to surrounding properties and can be programmed as a neighborhood amenity. These reconfigured streets and spaces are properly lined by buildings that place doors against the sidewalk. The plan also proposes replacing one key building in Governor Square with a larger structure that faces its front rather than its rear to Merchants' Square Drive. Additionally, to its east, a number of parking spaces are placed within garages that can hold apartments above, better shaping the streets.

10. THE MERCHANTS' POINTE SHIFT



As mentioned, the main boulevard in Merchants' Points is redundant with one of its parking lots, which can be reconceptualized as a commercial street lined by head-in parking. Removing this redundancy frees up more than an acre of land for additional parking, increasing the capacity of the site. It also provides the benefit of placing the development's building fronts directly against its main street, rather than behind a parking lot as is currently the case. The insertion of thin "lot-liner" buildings here as well protects the new street from much of its parking, providing a continuous walkable axis across the property from east to west.

11. THE SOUTHERN PARKING STRUCTURE



If the buildings surrounding the new square on 116th Street are to achieve an adequate height, the available parking area must be supplemented by an additional structure within Merchants' Pointe. The best location for this structure is to the southeast, where it must be integrated into the buildings that frame the new square and main street, placing retail ground-floor uses against most of its street fronts and a habitable upstairs edge against the square.

12. POCKET PLAZAS AND PARKS



Finally, key locations within the current plan are amenitized with additional small green spaces and plazas, providing a greater sense of place and reason to walk. These include a triangular green along the southern edge of the southern parking structure, a small corner pocket park across the street, a decorative green by the eastern entry to Merchants' Pointe, a deeper sidewalk at the corner of the northern parking garage, a miniature turbine green at the southwest corner of Marsh, a tiny pocket park to its west, and a larger pocket park just east of where the rear loop meets AAA Way.

The above 12 steps complete the short-term redesign of the area. The longer-term plan includes the following additional steps:


SHORT-TERM PLAN LONG-TERM PLAN

13. THE AAA WAY ROUNDABOUT



In order to further smooth traffic flow on 116th, and to ease entry into Merchants' Pointe from all directions, a roundabout is placed at the intersection of 116th Street and AAA Way. This feature is not necessary, but is certainly recommended.

14. THE WESTERN ENTRY




It is possible to expand the network of walkability to include AAA Way by properly shaping the space of 116th Street from the new main square west to the AAA Way intersection. This effort requires the demolition and replacement of the westernmost pad sites in both Merchants' Square and Merchants' Pointe. Further, the western entry into Merchants' Pointe can be added to the network of walkability by placing two additional Lot-Liner buildings along it as well.

15. THE NEW MARSH




Eventually, Marsh will want to replace its existing facility with a new store. Current trends suggest that this building can be slightly smaller, with parking underground and/or on its roof. Such a structure fits well in the existing Marsh parking lot, with room to spare for AAA Way to be properly shaped by a new building along its eastern edge. Together, this building can complete the southern network of walkability, turning Keystone Way into a proper main street, with storefronts on both sides.

16. REPLACEMENT OF THE BIG BOX



If completed as planned, the reconstruction of Merchants' Square will pave the way for a more lucrative reuse of its one-story retail spaces. With Marsh moved, it will become attractive to redevelop its footprint, and the remaining box next door, as taller mixed-use blocks. As shown, the use of a "Texas Donut" model allows two full blocks to be built, hiding central parking structures and interior courtyards.

17. NORTHERN DEMOLITION




As the neighborhood grows, the underutilized land to its north may also warrant redevelopment. While the lucrative pad sites against Carmel Drive are less likely to welcome demolition, the interior parcels along Station Drive provide a natural expansion of earlier phases. Additionally, it makes sense to remove the two pad sites flanking AAA Way at Carmel Drive, in order to make a walkable connection from there to the redeveloped neighborhood. All told, eight buildings and their parking lots must be removed to complete the northern part of the plan.

18. NORTHERN CONNECTION




Their structures gone, these northern sites can now be redeveloped with buildings along street edges in order to frame a walkable environment along Station Drive and Northern AAA Way. As already planned by the City, an additional roundabout is shown where AAA Way meets Carmel Drive, which will continue north into the redeveloped Gramercy site. While Carmel Drive is imagined as a principally automotive corridor in the near future, AAA Way is well poised (despite its name) to provide a continuous walkable and bikeable connection all the way from Merchants' Pointe to 126th Street.

19. EASTERN DEMOLITION



The successful redevelopment of Merchants' Square could also spur replacement of the six pad sites wrapped by Keystone Way East, and the northeastern pad within Merchants' Pointe. Indeed, these steps (19 and 20) could happen before or simultaneous with steps 17 and 18 above. Eliminating the northern six buildings allows for the creation of new buildings facing Keystone Way East, presenting an attractive face to the development when seen from the Keystone Parkway. The single demolition within Merchants' Pointe allows the eastern entry into that development to become walkable as well.

20. EASTERN FLANK



Again, the use and size of this redevelopment will depend on its parking provision, but this one-sided street facing away from the neighborhood does not seem appropriate for retail. The street is connected back to the Linear Square via the eastern extension of Keystone Way, which must properly lined by building fronts (Lot-Liners are recommended here). The east-west path on Keystone Way East is also protected from its southern parking lot by an edge of Lot Liners. That parking lot also receives a new building to its south, lining 116th Street across from Merchants' Pointe, where two new buildings to the east frame the eastern entry.

The above twenty steps constitute the foreseeable long-term redevelopment of Merchants' Square and Merchants' Pointe. By any measure, the plan is ambitious, and some might even consider it overreaching, which is why it is divided into short- and long-term phases. Only the first of these phases (steps 1 – 12) must occur to fundamentally transform Merchants' Square and Merchants' Pointe into a walkable place.

However, even the long-term plan does not redevelop the entirety of these properties. While it would be easy to draw a plan that obliterates and replaces everything between Carmel Drive and 116th Street, such a plan is neither necessary nor at all realistic. It is unnecessary because even the most walkable places still contain large areas of non-walkability; they function fine nonetheless as long as a continuously walkable network of critical mass is achieved. And it is far from realistic because an urban redevelopment beyond the scale of the long-term plan would require more growth than can be expected before many years have passed—enough time to require a second generation of planning based on new conditions on site.

This diagrammatic exercise, refined, produces the Illustrative Plans that follow.


These short- and long-term plans are perhaps best understood in terms of the already-mentioned concept of Urban Triage. Referring back to the short-term plan, it can be seen how the strategy has been to connect the depths of Merchants' Pointe back to Merchants Square, and then to create a single walkable loop within Merchants' Square, which is extended west to take advantage of the redevelopment of the defunct western strip

center. This is the Primary Network of Walkability, colored red in the Urban Triage diagram.

The Secondary Network of Walkability, shown in yellow, reflects the long-term goals of making AAA Way walkable for its entire length, expanding the street network one block north and east, and breaking up the oversize block of the remaining big boxes. While not essential, this plan shows what a larger walkable neighborhood should look like on this site.

The principally automotive streets are shown in grey, and include all of the thoroughfares not previously discussed as well as designated service streets within the plan. Until the Secondary Network of Walkability is built, its streets shall remain principally automotive as well.


URBAN TRIAGE ANALYSIS



URBAN TRIAGE ANALYSIS

- PRIMARY NETWORK OF WALKABILITY
- SECONDARY NETWORK OF WALKABILITY
- PRINCIPALLY AUTOMOTIVE NETWORK
- PHASE 1 BUILDINGS
- PHASE 2 BUILDINGS

THE ILLUSTRATIVE PLAN: SHORT TERM



As with most similar exercises, this effort produced both an Illustrative Plan and Regulating Plan. Only the latter will eventually have the force of law, but the former represents the ideal build-out of the site, and thus contains a greater amount of detail about what is imagined. The Regulating Plan ensures that the ultimate outcome will achieve its urban objectives, but is less specific about those things that matter less, such as the footprints of the buildings, the divisions among lots, the design of parking, and the distribution of land uses that are shown or implied by the Illustrative Plan. In describing the Illustrative Plan, we will endeavor to make clear which aspects of its design are required and which are not. Any questions in this regard can be answered by reviewing the Regulating Plan and Design Regulations included in this report.


The paragraphs that follow walk through the Illustrative Plan, highlighting its key features

and explaining its recommendations. We first discuss the short-term illustrative plan before turning to its long-term version. The short-term plan is broken down into four geographic sub-areas:

- The 116th St. Square and Merchants' Pointe;
- Merchants' Square South and East;
- Merchants' Square North and West; and
- The Western Flank.

The 116th Street Square and Merchants' Pointe

The extended roundabout of 116th Street Square creates a central green about 90 feet wide, flanked by two streets each containing two lanes of one-way traffic and two lanes of parallel parking protected by bulb-outs. While only 28 parking spaces are provided, these are essential for protecting sidewalks and also providing teaser parking for retail establishments surrounding the square in multi-story mixed-use buildings. While upstairs uses could include residences, hotel, or offices, ground-floor businesses should probably focus on dining and entertainment in order to make use of the Square's great visibility and deep sidewalks, especially at its corners.



116th Street Square and Merchants' Pointe.

Key to the Square's success as a commercial mixed-use environment will be its design details. Despite its smooth roundabout geometry, it needs to feel more like a traditional square than a traffic device. This objective will be achieved in part by the Square's amenities, which should include

some form of vertical fountain at each end, and by a central open-air structure such as an archway. While the centers, edges, and ends should be paved, the two interstitial spaces should be grass lawns welcoming a full range of uses.

The Square will also benefit by the firm spatial definition provided by its surrounding building fronts. These must reach tightly to their corners as shown, with only one pedestrian-passage gap (or "paseo") on each quadrant, each carefully aligned to provide framed vistas of an end fountain. Importantly, where they frame 116th Street

at its two Square entries, the surrounding buildings cover the sidewalk with pedestrian arcades below habitable interior space, to further pinch the street vista.

The simple buildings that surround the Square and its bisecting north-south main street are supplemented in two ways. To the northeast, an additional small building is located to receive views from the new main street to the north (see Merchants' Square South ahead). And to the southeast, the buildings reach further south and east to attach to the parking structure planned for that location.



Surrounded by the tallest buildings in the plan, 116th Street Square provides Carmel with a new public space of truly urban dimensions.



This Lot Liner building, designed by DPZ, allows a parking lot to give a friendly face to the street.

Like most new thoroughfares in the development, the new north-south main street maintains an intimate scale, with two travel lanes flanked by two parking lanes and treed sidewalks. Buildings pull right up to the sidewalk edge, so that opposing storefronts are typically only 60 feet apart.


Shifted south to enfront the existing southern buildings, Pointe Parkway is flanked by head-in parking on both sides. Where needed, it is also lined by the only other new buildings recommended for this phase: thin Lot Liners that contain apartments above garages placed within parking

lots. As advanced by Duany Plater-Zyberk & Co., this building type provides an opportunity for attainable market-rate housing to protect sidewalks from adjacent parking.

The proposed parking structure, perhaps five stories tall, is wrapped by habitable buildings to its north, west, and south. At ground level, the northern and western flanks contain retail to a conventional depth, and the southern edge is hidden behind one-sided rowhouses, perhaps three stories tall. The deck contains a central ramping bay flanked by two flat bays, allowing it to look like a habitable building where exposed and to better integrate into the building to its north, which faces the main square with an inhabited edge against a single-loaded corridor on the upper stories.

Merchants' Square South and East

The new main street heads north from the 116th Street Square to terminate on the northern parking structure, which presents an attractively fenestrated front to the south while receiving visitors prominently on axis. Here, the main street shifts east, along a broadened sidewalk whose south-east exposure makes it a good location for a café. To the east, the street is shaped by a small new building that extends the existing eastern strip southward. While the old strip can remain a one-story building—keeping its arcade—this additional structure should be three stories tall or more to balance the height of the parking deck. Like the southern parking structure, this one contains a central ramping bay flanked by two flat bays. On the ground floor, its eastern bay must hold retail rather than parking, and extends eastward beyond the garage footprint to embrace the narrower sidewalk as it heads north.



Merchants' Square South and East

At the existing pinch point, Keystone Way jogs slightly north to reach due east to Keystone Way East. Here, the east-side parking lot is replaced by a linear square that is narrowed by a new building which causes the full square to maintain the intimate dimension of its southern end—about 160 feet from building face to building face. Longer and narrower than 116th Street Square, this quieter civic space is lined by an existing one-story building to its east, and terminates on a taller new building to its north. The new northern and western buildings are imagined as containing retail below at least two stories of residential or office space. As in all areas of the plan, a tight-grained balance of upstairs offices and apartments is desired so that available parking can be put to the best use, with many spaces serving offices during the day and residences overnight.




The northern parking structure contains retail shops on its ground floor and a cafe extension that reaches out to the new main street, surrounding a small plaza.



View of the existing pinch point, heading north. All buildings shown would remain in the Short-Term Plan, but this parking lot drive aisle would become a proper street, with buildings on both sides.

Unlike 116th Street Square, the Linear Square holds only one lane of traffic in each direction, and contains head-in parking on both flanks of both roadways. This square, too, should have decorative features at both of its ends and another at its center. The “green” does not have to be green: with trees marching overhead, it is perhaps best surfaced in a fine-grain Parisian-style gravel in order to welcome a variety of uses including push-carts and market stalls.




The Linear Square contains a versatile Paris-style gravel surface suitable for both casual sitting and for farmers markets.

Merchants' Square North and West

The demolition of the northern half of the central big box building allows the top of the Linear Square to connect back west to AAA Way. The new east-west thoroughfare is placed a proper distance north of the remaining big boxes to allow them an ample service court while also providing rear parking for new buildings on the south side of the street. Buildings on the north side of the street take advantage of the existing large parking lot to their rear. New buildings hug the street with

short setbacks in order to create another comfortable 2-lane-plus-parking thoroughfare, and an L-shaped building to the northwest surrounds a small pocket park against the street.

As previously discussed, the swooping segment of AAA Way is reconfigured into a slower-speed angled geometry to better invite pedestrians. This street is currently over-wide yet lacking in parallel parking and street trees, and its resulting need for rebuilding helps to justify slightly altering its path. This street is also designated as a future bi-



The Northern and Western Loop.

cycle corridor, and its planned extension through the Gramercy community north of Carmel Drive includes a separated cycle lane. Such a facility should be included through Merchants' Square as well.

To the west of AA Way sits a detention basin serving the Post Office behind it. While it will never be an ideal public amenity, this site can be improved by replacing its chain link fence with something more attractive, and by placing a vertical statue or other architectural feature at its northeastern corner, where it receives framed views from the east. A more ambitious plan would propose a more dramatic reconstruction of this site, perhaps as a pastoral water feature.

Such a solution is not recommended here, primarily because the presence of the Post Office parking lot to its west, currently off limits to redevelopment, precludes the opportunity to give proper edges to this space.



The angle in the northern loop road allows one of its flanking buildings to receive a triangular pocket park at its front.

The new trajectory of AAA Way brings it further west of the Marsh than is currently the case, allowing for the insertion of a thin liner building against its blank western wall. This building could hold small shops, but given its lack of visibility from the shopping center, it is probably best used for attainable market-rate housing. This use would match the proposed new use across the street (see ahead), and is best provided in one-sided rowhouses, as already proposed against the merchants' Pointe parking deck.



The current configuration of AAA Way swoops south along the Marsh flank without parallel parking or street trees.

The Western Flank

The need to redevelop the mostly empty strip center west of Marsh brings with it the opportunity to reconfigure its surrounding thoroughfares in a more walkable configuration. Currently, these swooping, treeless streets communicate an automotive environment, an impression that is reinforced by the lack of building fronts along the sidewalks. Rationalizing the current network into a simple geometric pattern of straight streets transforms its oddly-shaped, leftover lawns into a proper triangular square, which can then be properly lined by buildings.



Merchants' Square Drive curves into Medical drive (foreground) creating two large areas of unused lawn.

This new configuration also allows for narrower roadways: functioning as a partial turbine, the square's north and south sides can hold one-way traffic only, resulting in a larger open space. This space can be programmed in a variety of ways. Given a low fence, it would make a good-sized tot lot.

With the roads reshaped, there is room for a new small building to the north of the square, which

would help to give it shape. To its east, another building on the Post Office property would perform the same function. More importantly, it is hoped that one building in Governor Square can be replaced to give the square a proper southern edge. While all other buildings in this complex face internal parking lots and turn their backs to surrounding streets, this one larger building would be principally parked to its rear, but would face its front door to the square.



The plan for the Western Flank creates a triangular square to amenitize surrounding residential uses, including apartments in place of the empty strip center.

Between the new square and the Marsh is the site of the struggling strip center, which is well shaped to place a U of buildings facing surrounding streets, with a parking lot hidden midblock. Meanwhile, a number of small parking areas on the southern side of the street would benefit from Lot-Liner buildings enfronting the sidewalk. One proposed such building, shaped like an L, enlarges its surrounding parking in order to terminate eastward views on a tiny pocket park around a healthy tree.

It is worth noting that, in certain locations, this plan benefits heavily from the use of Lot-Liner buildings. While not unprecedented, these buildings are unusual enough to require further advocacy. Stick-built over conventional garages, they are not expensive to construct, but their unconventional nature suggests that they will only be provided if the City creates a specific program to encourage them.


Such an undertaking is well worth the effort because, in addition to providing much-needed workforce housing, these buildings could be used

in several other locations in Carmel to make key streets more walkable, most notably on the east side of Veterans way between City Hall and City Center. This important stretch, from Carmel's governmental hub to its cultural hub, currently fails as a pedestrian trajectory due largely to its continuous edge of parking lots. Placing about 55 parking spaces along this trajectory within Lot-Liner buildings would fundamentally alter walkability in this key area.



Two Lot-Liners surrounding an existing tree create a small park along Merchant's Square Drive

THE ILLUSTRATIVE PLAN: LONG TERM




The redevelopment plan for Merchants' Square is carefully crafted to provide dramatic changes in the short term, if implemented. Indeed, the short-term plan discussed above will be enough to transform Merchants' Square from a principally automotive environment to a principally walkable one. No further redevelopment will be necessary for this effort to have achieved its goals.

However, this first phase, if successful, can be expected to impact on-site property values to such an extent that a more comprehensive redevelopment, previously unjustified, will begin to make economic sense. A desire to put the land to its highest and best use will potentially lead to the demolition and replacement of many more buildings on site, including the current Marsh supermarket, its adjacent big-box building, and perhaps as many as twenty other small pad developments in Merchants' Square and Merchants' Pointe. Given this possibility, it is important to have a long-term plan that shows how this redevelopment can take the most efficacious form, both for its own success as a place and for the ideal functionality of the surrounding area. This plan is broken down into four quadrants: southwest, central, north, and east.

Southwest Quadrant

The walkability of Merchants' Square does not depend on the creation of a roundabout at the corner of 116th Street and AAA Way, but that transformation is justified from a traffic-flow perspective, and is in keeping with the City's general strategy of placing roundabouts at significant intersections whenever possible. Such a change will also ease passage from AAA Way into Merchants' Pointe, helping its revival.

The eventual desire of Marsh to replace its supermarket with a more up-to-date facility will create the opportunity to provide AAA with a proper street edge, allowing it to join the network of walkability. Current trends suggest that the new Marsh will be somewhat smaller and incorporate parking underground and/or on its roof. This configuration will allow the market to pull back from AAA Way, which can then receive a proper edge of new buildings—likely office and/or residential—with a full bay of surface parking behind. This scheme retains Keystone Way East as a service street, making it the best location for supermarket loading docks. East of the new market, the plan retains one bay of parking against the new parking structure, but this bay could also be used for additional buildings and/or structured parking if desired.




Making AAA Way walkable can be accomplished by replacing the Marsh parking lot and pad sites along 116th Street with buildings against the sidewalk.

To properly shape the new roundabout and to invite pedestrians across 116th Street, the two remaining pad sites will have to be replaced by proper sidewalk-facing buildings on the roundabout's two eastern corners. Finally, two Lot-Liner buildings will be necessary to invite pedestrians all the way into Merchants' Pointe. These transformations result in a AAA Way that is thoroughly walkable from Merchants' Pointe all the way to the new northern loop road.

Central Quadrant

As discussed above, the relocation of the Marsh will allow its block to be redeveloped into a more intensive use, including the remaining big-box structure to its east. A “Texas Donut” typology allows for two small blocks to fit here, each with a hidden central parking structure. A less intensive use would wrap buildings around the perimeter of a single large block with parking at its center, but such a moderate-density solution is not as likely to justify the site’s redevelopment, nor is it as likely to encourage walking.




The relocated Marsh and its big-box neighbor can be replaced by two properly sized urban blocks.

As shown, new taller buildings to the south, southeast, and southwest complete the block structure that has already been introduced to the north, and two central buildings—potentially lines of one-sided rowhouses—create a new north-south street. This street can be designed as an intimate European-scale thoroughfare, which has been laid out at a slight angle to provide memorable vistas through it. It is expected that the new southern buildings will contain offices or apartments (or hotel) over retail, while the two central buildings

are ideal for residential use. As shown, the interstitial courtyards between these blocks’ perimeter buildings and parking decks offer ample room for pool decks and other amenities.

North Quadrant

While the entire area between Merchants’ Square and Carmel Drive would benefit from redevelopment, what is most important from a regional standpoint is that a walkable/bikeable corridor be established in this location and beyond. As it heads north from Carmel Drive, AAA Way has been designated as just such a corridor, and this plan continues that trajectory to its terminus in Merchants’ Pointe. For that reason, even this long-term plan does not see the need for—or the likelihood of—additional redevelopment in this area beyond establishing a single corridor of the highest quality. This corridor is planned to embrace Carmel Drive and then continue north through The Fountains’ property into the Gramercy parcel, currently under redevelopment.



If properly rebuilt and shaped by buildings, AAA Way can bring walkability north to Carmel Drive and beyond.

In accordance with City policy, AAA Way meets Carmel Drive at a roundabout, which is surrounded at all four corners by properly-shaped development. The plan for the Fountains, not a part of this study, reflects the leading proposal currently under consideration by the property owner. While not providing a high level of walkability due to the intense parking demands of the Fountains meeting facility, this plan is organized to allow for later walkable infill if that building is replaced. In its current condition, it would also benefit from the inclusion of Lot-Liners along the full trajectory of AAA Way.



Currently strictly automotive, Station Drive would maintain its current trajectory, but be remade as a walkable street.


As it heads south into Merchants’ Square, AAA Way is flanked by new buildings with their parking located behind. To the east, the completion of this part of the plan recreates Station Drive along its current trajectory as a street with parallel parking, ample sidewalks, and street trees. This street, too, must be lined by multistory buildings on both sides. While buildings against Carmel Drive will probably support retail activity, the remainder are imagined as residential or office use. The foot-

print and height of these buildings will depend on whether rear parking is surface or structured. As imagined in the Illustrative Plan, only the buildings to the south of Station Drive receive a parking structure, which seems necessary, as these new buildings displace surface parking serving the new buildings to their south.

East Quadrant

The eastward completion of the plan replaces the half-dozen pad sites between the development and Keystone Parkway with a proper block structure of streets lined by buildings. To the north, Keystone Way East is recognized as the most visible face of the development. Even though it is one-sided and against a highway, and will therefore never attract pedestrians in great number, the removal of its pad sites will allow it to overlook the parkway with the noble facades of a housing or office development. As always, the height and number of these buildings will determine their need for surface or structured parking. As shown here, a healthy mix of housing and office makes the most use of a surface parking lot located at midblock.

This portion of the plan makes use of Lot-Liners on both east-west connections to hide parked cars from view. The presence of flat-fronted buildings against the curve of Keystone Way East results in the creation of three small pocket parks, which amenitize the real estate. It is recommended that the berm separating Keystone Way East from the Keystone Parkway be heavily planted not only with street trees but with a thick evergreen understory to give it a sense of protection from the highway.



Development of the eastern flank gives the development a better face to Keystone Parkway and improves the entry into Merchants' Pointe.

Further south, the removal of Merchants' Pointe's northeastern pad building will eventually allow that development's eastern entrance to take achieve a more walkable quality. This is accomplished by the narrowing of Pointe Parkway near 116th (removing the median of this right-in-right-out access way) and the addition of three buildings: one north of 116th Street, and two alongside Pointe Parkway. The two buildings flanking 116th Street are shown with their eastern facades aligned, providing a firm entry point to the redevelopment.

PLAN CAPACITY

The capacity of the plan is primarily dependent on the impacts of parking. The following four factors will determine how many square feet of building is constructed on site:

- *Surface or structure:* If parking is placed in structures, the plan's capacity grows multifold. Given the cost of these facilities, the Illustrative Plan imagines only two such structures in the short term, and five in the long term. The removal of these structures or the addition of others would result in significantly different numbers.
- *Complimentary loads:* Many parking spaces that are used by residents overnight can often be used by workers during the day. As a result, the capacity of the plan grows significantly as a result of placing residential and office uses in close proximity. Parking regulations must take opportunities for shared capacity into account.
- *Reduced auto-dependency:* Over time, the successful development of a pedestrian-friendly environment will allow a portion of car trips to be replaced by walking, biking, and transit. Residents in particular will find reason to own fewer cars and to often leave their cars at home. This factor as well must be allowed to impact parking requirements.
- *On-street parking:* All of the new streets in the plan have considerable curbside parking capacity, which will also reduce the demand placed upon off-street lots. Parking requirements must consider on-street spaces to be interchangeable with off-street spaces.


The estimates that follow attempt to make reasonable assumptions about the impact of the above factors on building sizes. In all cases, I have been less aggressive than the Code (ahead) allows, expecting that developers will be fairly conservative in their parking requirements. While the Code requires 1.5 parking spaces per residential unit and 3 spaces per 1000 square feet of commercial space, the following calculations instead use ratios of 2:1000 for residential and 4:1000 for commercial.

THE SHORT-TERM PLAN

In order to determine the capacity of the Short-Term Plan, it is most useful to re-divide it slightly, so that buildings can be considered hand in hand with their parking provision. We will look at the Plan in the following four sections:

- 116th Street North
- 116th Street South
- Linear Square and Northern Loop
- The Western Flank.

116th Street North



North of 116th Street, new buildings total 50,000 square feet (SF) per floor, plus 28,000 SF in the base of the parking structure. The parking structure holds approximately 60 spaces at grade and about 150 spaces for each subsequent floor, such that a 5-story garage would hold 660 spaces. 160 spaces in surface lots and 50 more on-street bring the cumulative total to 870.


If all new ground-floor space is retail (totaling 77,000 SF), parking that at 4:1000 would result in 560 spaces still available for upstairs uses. 5-story buildings would result in 200,000 of upstairs space, which if shared between residential, office, and potentially hotel use, would be well served by 560 spaces.

Retail:	77,000 SF
Mixed Use:	200,000 SF
TOTAL:	277,000 SF

Parking:

Structured:	660 spaces
Surface:	160
On-Street:	50
TOTAL:	870 spaces.

116th Street South



South of 116th Street, new buildings to the west total 27,000 SF per floor. To the east, the parking structure and its surrounding block holds 28,000 SF at grade and 18,000 SF for each subsequent floor. The parking structure holds approximately 70 spaces at grade and about 150 spaces for each subsequent floor, such that a 5-story garage would hold 670 spaces. On street and in surface lots, the redevelopment results in a net gain of about 30 spaces, placing the total parking in support of new construction at 700 spaces.

If all new ground-floor space is retail (totaling 55,000 SF), parking that at 4:1000 would result in 480 spaces still available for upstairs uses. 5-story buildings would result in 180,000 of upstairs space, which if shared between residential, office, and potentially hotel use—and 18 Lot-Liner apartments—would be well served by 480 spaces.


Retail:	55,000 SF
Mixed Use:	180,000 SF
Lot-Liners*	13,000 SF
TOTAL:	248,000 SF

Parking:

Structured:	670 spaces
Other net:	30
TOTAL:	700 spaces.

(* Lot-Liners are estimated at 750 SF each.)

Linear Square and the Northern Loop



New retail on the Linear Square adds up to 28,000 SF of space. Each floor of non-retail use above shops adds another 28,000 SF. To the west of the Linear Square, new non-retail buildings total 60,000 SF per floor. Parking lots hold 410 spaces, supplemented by 100 new spaces on-street. New retail, parked at 4:1000, would use up 110 spaces, leaving 400 spaces for other uses. Building the entirety of this area at three stories would result in 230,000 SF of non-retail use. If principal-

ly residential mixed with some office space, this would be adequately served by its parking.


Note: In situations like this one, the optimal mix of uses for conserving parking supply is a housing/office square-footage ratio of perhaps five to one. At this ratio, the office demand is so low that it can be easily satisfied by the large number of residential parking spaces that are vacant during work hours, and therefore the parking can be sized based on the residential load alone. For example, if the above 230,000 SF were to include 180,000 SF of housing and 50,000 SF of office, both uses could be served by 360 spaces at the residential ratio of 2:1000. The office space, if parked at 4:1000, would make use of 200 of these spaces during work hours, when most residents are away.

Retail:	28,000 SF
Mixed Use:	230,000 SF
TOTAL:	258,000 SF

Parking:

Surface:	410
On-Street:	100
TOTAL:	510 spaces.

The Western Flank



West of the Marsh, the new housing on the defunct strip center totals as much as 40,000 SF per floor. Across the street, the replacement building within Governor Square is as large as 15,000 per floor, adding perhaps 10,000 SF more area than the old structure. This is supplemented by 10 Lot-Liners and also what will probably be 10 one-sided rowhouses against the Marsh west wall.

100 new parking spaces are provided on street, and 75 in the new residential lot. Perhaps 25 of these would serve the new rowhouses and the enlargement of the Governor Square building, leaving 150 spaces for the main housing cluster. Parking 40,000 SF at 2:1000 would allow these buildings to be two stories tall.

These outcomes are the result of avoiding additional parking structures (including underground

parking) in this area. As is the case throughout the plan, providing more structured parking in this location would increase its capacity significantly.

Mixed Use:	90,000 SF
Rowhouses*:	15,000 SF
Lot-Liners:	7,500 SF
TOTAL:	112,500 SF

Parking:	
Surface:	75
On-Street:	100
TOTAL:	175 spaces.

(* Rowhouses are estimated at 1500 SF each.)

Totals

Totaling all of the above, Short-Term Plan can be summarized cumulatively as follows:

Retail:	160,000 SF
Mixed Use:	700,000 SF
Rowhouses:	15,000 SF
Lot-Liners:	20,500 SF
TOTAL:	895,500 SF

Parking:	
Structured:	1,330 spaces
Surface (net):	675
On-Street:	250
TOTAL:	2,255 spaces.

THE LONG-TERM PLAN

As with the Short-Term Plan, determining the capacity of the Long-Term Plan is made easier by re-dividing it slightly. We will look at the Plan in

the following four sections:


- East and West 116th Street
- The New Marsh and its Old Site
- The Northern Extension
- The Eastern Flank.

East and West 116th Street



West 116th Street

The long-term redevelopment surrounding 116th street supplements the short-term plan by adding buildings at all four corners. To the northwest, two more buildings against the roundabout contribute 15,000 SF more per floor of construction, parked in 50 additional lot spaces plus 5 more on-street spaces. To the southwest, a new building against the roundabout contributes 10,000 SF per floor of construction, parked in 50 more lot spaces (including garages within Lot-liner buildings). The limited amount of parking provision suggests that all of these new structures should both be either one story tall if commercial or two stories tall if residential. Given their excellent visibility, they are most likely to be retail.



East 116th Street

To the northeast, a new building reaching toward the Keystone Parkway roundabout adds about 10,000 SF per floor while removing 30 spaces from the planned parking lot. If this structure is to be built at all, let alone achieve more than one story, the buildings surrounding the main square will have to be scaled back slightly from their proposed five stories, so that they can be served completely by the new parking structure and not rely on that lot.


A similar condition occurs to the southeast as well. The proposed long-term eastern addition to Merchants' Pointe contributes as much as 20,000 SF more per floor, but does not increase the parking provision beyond the prior amount. Since one 7000 SF pad-site building has been removed, all but 7,000 SF of this new building volume will have to find parking in the new garage across the street.

Therefore, if it is anticipated that such a long-term eastern addition is likely, either north or south of 116th Street, the buildings surrounding the main square may have to average a height closer to 4.5 stories rather than the 5 stories already counted. For that reason, neither of these eastern additions are included in the calculation of long-term square footages.

Retail:	25,000 SF
TOTAL:	25,000 SF*
Parking:	
Surface:	100 spaces
On-street:	5
TOTAL:	105 spaces.

(* Limited as noted above.)

The New Marsh and Its Old Site



Rebuilding the Marsh on its old parking lot as shown gives it a footprint of 50,000 SF. As per the new urban supermarket standard, it finds parking in its basement and on its roof, totaling about 220 spaces. Replacing the Marsh and its adjacent big box with mixed-use buildings provides another 40,000 SF of retail on the ground floor, which is parked in about 100 new on-street spaces (including the head-in bay just east of the new Marsh. This provision is a little light, but could easily be supplemented by additional spaces (and vacancies) in the two new residential lots planned midblock to the north.

PLAN CAPACITY


The non-retail floors of these new mixed-use buildings would each provide about 57,000 SF of habitable space. Midblock, the two new parking structures would replace 90 surface spaces with as many as 780 spaces in 5-story garages, for a net gain of 690 spaces. This large supply of parking would allow these buildings to provide four full stories of residential above their shops. The western flank of this complex would probably be entirely residential rather than including a retail ground floor, adding another 12,000 SF of housing to the mix. As a result, new non-retail use here would total about 240,000, requiring less parking than provided, and suggesting either smaller parking structures or a significant office component.

This redevelopment would also eliminate the ten rowhouses on the west flank of the current Marsh, but replace them with about twenty rowhouses along the new north-west street, lining the parking structures. These could be parked in the structures and also in about 20 spaces on that narrow street.

Retail:	90,000 SF
Mixed Use:	240,000 SF
Rowhouse (net):	15,000 SF
TOTAL:	345,000 SF

Parking:	
Structured:	1,000 spaces
Surface (net)	(90)
On-Street:	120
TOTAL:	1,030 spaces.

The Northern Extension




Redeveloping both sides of Station Drive and AAA Way north to Carmel Drive contributes a total new building area of 160,000 SF per floor. Perhaps 20,000 SF of this would be retail against Carmel Drive, and the remainder would be principally residential. This is parked by 625 spaces in surface lots plus an additional 100 on-street. (The new 280-space parking structure to the south of Station Drive is proposed as a way to park the buildings to its south, which currently park on the surface lot that would be mostly redeveloped in the Long-Term Plan.) Serving a 160,000 SF footprint in 725 spaces suggests a two-story redevelopment if buildings are mostly residential with a limited office component. Again, additional parking structures would support a much grander outcome.

Retail:	20,000 SF
Mixed Use:	280,000 SF
TOTAL:	300,000 SF
Parking:	
Structured:	280 spaces*
Surface (net):	355*
On-Street:	100
TOTAL:	735 spaces.

(*A 280-space structured lot and other amenities replace 270 surface spaces.)

The Eastern Flank



Finally, the arc of new buildings proposed against Keystone Parkway, in addition to the 8 Lot-Liner units to their south, would contribute about 40,000 SF of interior space per floor, served by 170 lot spaces and 100 on-street spaces. This

parking supply would support three-story apartment buildings, which should also be encouraged to contain limited office component. This flank could also be developed entirely as two-story office villas on a slightly smaller footprint, but such a single use is less ideal.

Mixed Use:	120,000 SF
TOTAL:	120,000 SF

Parking:	
Surface	170
On-Street:	100
TOTAL:	270 spaces.

Totals

Totaling all of the above, the additional development of the Long-Term Plan can be summarized cumulatively as follows:

Retail:	135,000 SF
Mixed Use:	640,000 SF
Rowhouses:	15,000 SF
TOTAL:	790,000 SF

Parking:	
Structured:	1,280 spaces
Surface (net):	535
On-Street:	325
TOTAL:	2,140 spaces.

Grand Totals

Combining these numbers with the Short-Term Plan, the entire redevelopment shown in the Illustrative plan is as follows:

Retail:	295,000 SF
Mixed Use:	1,340,000 SF
Rowhouses:	30,000 SF
Lot-Liners:	20,500 SF
TOTAL:	1,685,500 SF

Parking:	
Structured:	2,610 spaces
Surface (net):	1,210
On-Street:	575
TOTAL:	4,395 spaces.

BEYOND MERCHANTS' SQUARE

Although focused on Merchants' Square for the reasons already noted, this study also addresses the design of its two main east-west corridors, and pays more careful attention to several important sites on the west side of Range Line Road that are currently undergoing redesign: the Party Time site just north of Carmel Drive, and the large shopping center north of 116th Street.

116th Street



Flanked by surface parking lots, building rears, and other edges that don't attract walking, 116th Street has little hope of becoming a pedestrian axis.

As it approaches downtown Carmel from Keystone Parkway, 116th Street receives a gateway embrace by Merchants Square and Merchants' Pointe. This plan proposes a dramatic entry feature in the form of its main square, and further suggests that this specific area take on more walkable characteristics between Keystone Parkway and AAA Way. However, it does

not suggest any further investment in pedestrian-friendly urban design west of AAA Way, for three main reasons:

- As it heads west, 116th street is already developed exclusively with roadside properties that do not support walkability. These include principally single-family houses to the south and, to the north, a combination of the backs of buildings and surface parking lots. A wholesale redevelopment of this area would be needed to make it marginally pedestrian friendly.
- It doesn't connect to walkability elsewhere. Unlike Carmel Drive, 116th Street does not eventually arrive in a part of the city that is going to support significant pedestrian activity anytime soon.
- Given it's high volume of relatively high-speed traffic and its importance to the regional road network, 116th Street would require an excessive investment to make it also inviting to pedestrians.

For these reason, this plan does not propose any modifications to 116th Street beyond the ones proposed between Keystone Parkway and AAA Way.

That said, it is worth noting that the street's attractiveness and safety as a vehicular corridor would be enhanced by the planting of continuous street trees alongside the roadway and in all medians. The same approach is appropriate for dozens of main streets in Carmel that currently lack consistent tree cover. But if the goal

is to support walkability, such an investment should be made first in streets that are more likely to attract pedestrians for other reasons.



Carmel Drive has greater potential as a pedestrian corridor.

Carmel Drive

Unlike 116th Street, Carmel Drive has some potential for attracting pedestrians. While hardly surrounded by uses or buildings that are considerably more likely to generate pedestrian traffic, the street has a number of characteristics that make walking and biking along it more likely:

- Along much of its trajectory west of AAA Way it has a 4-lane section rather than a 5-lane section, making the traffic along it less threatening to pedestrians.
- It enjoys better tree cover than 116th Street, especially in a few key stretches where healthy street trees protect the sidewalk from traffic.

- It connects to a location along Range Line Road that is currently undergoing redevelopment according to a more walkable design framework and is also quite close to City Hall, which is in turn developing more walkable connections northward to City Center and eventually to Main Street.

For these reason, this study recommends that Carmel Drive again be considered for the sort of pro-walkability design overlay that is gradually transforming Range Line Road into a corridor that is more attractive for both pedestrians and drivers. As being implemented on Range Line, such an overlay requires that new buildings pull up to the sidewalk, place their parking to the rear, and include a significant amount of second-story space.

Expansion of the Range Line Road Overlay Zone to Carmel Drive has already been proposed, but has not yet been enacted. The long-term connectivity of Carmel's most walkable neighborhoods to each other will require that this corridor eventually take on an overlay of this nature.

The Party Time Site

At the northwest corner of Carmel Drive and Range Line Road is a very large site that currently contains a Party Time store and an Arby's. Because plans are underway for its redevelopment, this effort was expanded to include this site and also the site immediately to its north, which is capable of being put to more productive use.




The Party Time site. To its north, one property separates it from Civic Square, the parking street that reaches to City Hall.

At the time of this study, the latest plan for the site was as shown below. It includes a double-loaded apartment building enfronting Carmel Drive, Range Line Road, and a new street to its north, and townhouses enfronting a new segment of Veterans Way to its west. From a strict urban perspective, this plan gets the basics right, concealing its very large parking lot at the center of the block (along with a pool deck). This parking lot is located a full



The current proposal for the Party Time site.

story below the grade of Range Line, due to the sloping site. Each Range Line intersection receives a roundabout.



The concerns presented by this plan are a bit subtler:

- The resulting block is much larger than a standard urban block, and could better enhance area walkability if broken into two smaller blocks.
- Unless handled very carefully, the extremely long facades threaten to become monotonous, especially against Range Line road.
- Unless doors are placed regularly along sidewalks from ground-floor units, there will be limited activity on the surrounding sidewalks.
- Several of the sidewalks seem to locate street trees on the inboard rather than the outboard edge, where they are needed to protect pedestrians.

Recognizing the successful qualities of the current plan, the redesign below changes the design as little as possible in an attempt to address the above concerns.

This proposal introduces a central mews that begins on Range Line Road, cascades down into the heart of the block, and terminates on a community pool, with its clubhouse located against Veteran's Way to the west. It includes the following features:

- The parking is split between two lots that connect through a narrow road across the pedestrian mews. This road receives a speed table so that the mews axis is dominant across it.
- The cascading stair includes a cascading fountain that leads to a linear water feature through the mews. This axis is punctuated

with a central fountain surrounded by benches and terminates with a virtual waterfall into the pool. This is clearly not necessary, but would be exciting. One way to build this feature cheaply and to code would be to run water down a central channel that is only depressed 1" below the surrounding pavement, thus not presenting a walking or wheelchair impediment.

- Veterans Way and the street to the north are configured within a 60-foot right of way, with 5-foot sidewalks, 8-foot tree strips, 7-foot parking lanes, and 10-foot travel lanes.
- As before, rowhouses face west but, in keeping with tradition, they do not stagger. They have stoops occupying a 6-foot setback. The clubhouse sits between two groups of seven rowhouses, with no setback. It is imagined as a tall one-story building with a long gable facing east-west.
- A pool is shown with both leisure and lap sections. A tot lot is placed in the northwest corner of the site, and could be supplemented by play equipment across the street.
- Conceptually, the very large main building is split into several smaller "buildings" by creating truly distinct elevations on different areas. The version shown suggests a central "building" flanked by two other large "buildings" that reach to the corners. These would then be flanked by elevations conceptualized as repetitive rowhouses, with doors and stoops serving each lower unit. This scheme does not propose a change to the floor plans, but

The revised proposal. It is drawn without trees, but would require street trees spaced continuously at approx. 30-feet-on-center on all streets, mews, and parking medians. The massing of the eastern elevation is shown to the right. At the bottom is a section cut through the central mews

merely a breaking-up of the elevations. For this elevation fiction to work, each section must truly look like a unique structure. The central “building” presents a symmetrical composition framing the entry cascade into the mews.


- The location of on-street parking on the surrounding streets has been expanded somewhat based on current best practices.
- This proposal makes use of six Lot-Liner apartment buildings along the central mews. As shown in the drawing, they are about 75 feet long, each containing a one-bedroom and a two-bedroom apartment atop 7 parking spaces. To the parking lot, this structure presents a garage with a building atop it. To the other side, it presents a two-story building with small unglazed windows downstairs and an entryway that leads to the stairs. Above, the apartments can receive large windows and also balconies facing the front. These upstairs apartments can also contain an additional bedroom in the roof, if desired.

This proposal provides parking as follows:

Standard Lot Spaces:	152
Lot-Liner Garage Spaces:	42
Tandem Spaces:	93
On-Street Spaces:	95

TOTAL: 382

This number represents a slight increase over the 354 spaces of the previous scheme, which should allow the floor area of the apartment building to become a bit larger.



The new scheme within its future context.

Also important to this scheme is how it integrates into its surrounding neighborhood. The drawing below, completed subsequently, shows how the roundabouts are limited in size to not overly distort the shape of the block, and Range Line Road

receives a continuous median. As in the previous scheme, Veterans Way curves north to reach City Hall. Alongside, the underutilized site has been redeveloped with a building that provides proper fronts to surrounding streets. Given the presence of the new east-west street from the roundabout, Civic Square is demoted from its current street status to that of a parking lot.

This large site represents an important knuckle in the future network of walkability connecting City Hall and City Center to Carmel Drive and Merchants' Square. If properly executed, it will have a strong positive influence on its surroundings.

The Remade Strip

One final site undergoing potential redevelopment is the strip center at the northwest corner of the intersection of Range Line Road and 116th Streets. If it is to be remade in any significant way, it will need to follow the prescriptions of the Range Line Road Overlay District. Given the cost of replacing most of the buildings on site, the property owners will need to be convinced that a new configuration in accordance to that zoning has the potential to increase their profits.

As is appropriate to encouraging walkability, the Range Line Road Overlay District requires that new buildings sit up against the sidewalks rather than behind parking lots, and that they contain a second floor for at least half of their cumulative footprint. Rebuilding the strip center in this way, if it is to be favored, must create an outcome that increases the yield of the property while providing a superior shopping environment with sufficient parking.




The current layout of the strip center, with buildings entirely set back behind parking.

The current strip center design includes approximately 85,000 SF of retail space and provides parking for approximately 325 cars. It has a large central market of about 20,000 SF, two shallower wings totaling 60,000 SF, and a single 5,000 SF pad building. It contains no significant green space of any quality. Assisting in its potential for beneficial redesign is the fact that its parking lot is extremely inefficient, using a very large area of pavement for the number of parking spaces provided.

The proposed redevelopment keeps the existing market in its current location while moving its two wings up to the street, framing a small green in front of the market. This green can serve as an entry feature, site amenity, and drainage facility. The market is then flanked by two shallow retail liners facing side parking lots. The parking drive-aisles, reoriented north-south, provide a much higher parking yield.

In all, this new design provides a slight uptick in ground-floor retail, which reaches 88,000 SF. Placing a second floor of office on half of the new street-front retail adds 31,000 SF of additional space. All of this is easily parked in a new lot holding approximately 475 spaces and in an additional 30 spaces at the curb. This amount of parking, at a ratio of 4:1000, would actually allow 38,000 SF of upstairs space. If that space included an appropriate amount of residential square footage, it would be possible to make the entirety of both new wings two stories tall (62,000 SF).



The proposed redevelopment brings multistory wings up to Range Line Road, framing an entry green.

In all, this scheme increases the rentable area of the property by almost 50 percent, and by as much as 75% if it contains a greater mix of uses. It also provides a welcoming central green and an improved shopping environment that could be expected to attract higher rents than the current conventional strip center layout. It is hoped that the promise of this higher cash flow will justify the property's redevelopment in this manner.

MERCHANTS' SQUARE

REGULATING PLAN

PLAN KEY

---	PROPERTY LINE	CIVIC SPACES:	12. POCKET PARK 3
—	PRIMARY FRONTAGE	1. POCKET PARK 1	13. TRIANGLE GREEN
.....	RETAIL REQUIRED WITH AWNING	2. ATTACHED GREEN	14. DETENTION GREEN
.....	RETAIL REQUIRED	3. DECORATIVE CORNER GREEN	15. POCKET PARK 4
· · · ·	RETAIL ALLOWED	4. 116TH STREET SQUARE	16. ROUNDABOUT 2
□	ARCADE REQUIRED	5. ROUNDABOUT 1	CIVIC STRUCTURES
└	VISTA TERMINATIONS	6. DEEP SIDEWALK	I. CENTRAL GATEWAY
▽	CURB CUT ALLOWED	7. CURVE PARK 1	II. FOUNTAIN 1
↔	PASEO	8. POCKET PARK 2	III. FOUNTAIN 2
##	MIN/MAX BUILDING HEIGHT	9. CURVE PARK 2	IV. SITTING PAVILION
#	FRONTAGE SETBACK	10. LINEAR SQUARE	V. DETENTION GREEN STATUE
		11. MINI TURBINE GREEN	

THIS PLAN WAS DRAWN TO BE PRINTED ON 24" x 36" PAPER.

SUMMARY OF KEY REGULATING PLAN FEATURES

THE POINTS BELOW ARE EXCERPTED FROM THE COMPLETE MERCHANTS' SQUARE DESIGN REGULATIONS (THE REGULATIONS) AND SUMMARIZED HERE DUE TO THEIR SPECIFIC REFERENCE TO THE REGULATING PLAN (THE PLAN). PLEASE NOTE THAT THE ENTIRE REGULATIONS ARE EQUALLY APPLICABLE TO THE STUDY AREA.

THOROUGHFARES: FOURTEEN DIFFERENT THOROUGHFARE TYPES OCCUR IN THE REGULATING PLAN. THESE ARE NAMED WITHIN THEIR RIGHTS OF WAY AND DETAILED IN THE STREET SECTIONS THAT FOLLOW.

FRONTAGES: THE REGULATING PLAN DISTINGUISHES BETWEEN FRONTAGES AND OTHER BLOCK FACES. FRONTAGES REQUIRE A HIGHER LEVEL OF URBAN PERFORMANCE, AS FURTHER DEFINED IN THE REGULATIONS.

RETAIL REQUIRED/ALLOWED: GROUND-FLOOR RETAIL (OR DINING/ENTERTAINMENT) USE IS REQUIRED AT CERTAIN FRONTAGES AND ALLOWED AT OTHERS, AS INDICATED IN THE PLAN. SUCH USE IS PROHIBITED AT ALL OTHER FRONTAGES. AROUND THE 116TH STREET SQUARE, ALL RETAIL ESTABLISHMENTS MUST ALSO HAVE AWNINGS.

VISTA TERMINATIONS: THE PLAN CONTAINS NUMEROUS LOCATIONS ON BUILDINGS THAT ARE PERSPECTIVALLY FRAMED BY A LONG VIEW DOWN A STREET—CALLED A VISTA TERMINATION. BUILDINGS LOCATED AT VISTA TERMINATIONS SHALL RESPOND WITH AN APPROPRIATELY-SCALED ARCHITECTURAL FEATURE, SUCH AS A TOWER OR MULTI-STORY PORTICO, IN ORDER TO PROPERLY RECEIVE THE VISTA.

ARCADES: AT THE EAST AND WEST ENTRIES TO 116TH STREET SQUARE, BUILDINGS ARE REQUIRED TO PLACE ARCADES OVER THE SIDEWALK, AND TO PLACE INTERIOR HABITABLE SPACE AGAINST THE ARCADES TO A HEIGHT OF FIVE STORIES. THESE ARE INDICATED IN THE PLAN AND FURTHER DEFINED IN THE REGULATIONS.


PASEOS: FOUR PASEOS ARE REQUIRED INTO 116TH STREET SQUARE, ALIGNED WITH ITS END FOUNTAINS. THESE ARE INDICATED IN THE PLAN AND FURTHER DEFINED IN THE REGULATIONS.

CURB CUT ALLOWED: CURB CUTS ARE PERMITTED AT FRONTAGES ONLY IN THOSE LOCATIONS SPECIFICALLY INDICATED IN THE PLAN. CURB CUTS ARE NOT REGULATED IN NON-FRONTAGE LOCATIONS.

FRONTAGE SETBACKS: ALL FRONTAGES ARE ASSIGNED SETBACKS IN THE PLAN. THESE SETBACKS ARE ALSO BUILD-TO LINES: THEY SPECIFY THE PROPER LOCATION OF THE BUILDING FAÇADE, AS FURTHER DEFINED IN THESE REGULATIONS.

MIN./MAX. BUILDING HEIGHTS: EACH FRONTAGE IS ASSIGNED A MINIMUM AND A MAXIMUM ALLOWED BUILDING HEIGHT, AS FURTHER DEFINED IN THE REGULATIONS.

CIVIC SPACES: SIXTEEN CIVIC SPACES ARE ENUMERATED IN THE PLAN. EACH IS FURTHER DESCRIBED IN THE REGULATIONS. **CIVIC STRUCTURES:** FOUR SPECIFIC CIVIC STRUCTURES ARE ENUMERATED IN THE PLAN (IN ROMAN NUMERALS). EACH IS FURTHER DESCRIBED IN THE REGULATIONS.



As discussed, the Regulating Plan distills the General Plan into those aspects of the design that are necessary to ensure the urban performance of the redevelopment. It works hand-in-hand with the Design Regulations that follow this narrative.

Comparing the Regulating Plan with the Illustrative Plan, it becomes clear how certain features of the Illustrative Plan are not considered essential to the redevelopment's success. For example, the blocks are shown to their full buildable extent, without noting building footprints or parking configurations.

But, as further delineated within the Plan and Regulations themselves, the Regulating Plan is quite precise in describing the following eleven types of requirements:

Thoroughfares: Fourteen different thoroughfare types occur in the Regulating Plan. These are labeled within their rights of way and detailed in the Street Sections that follow.

Civic Spaces: Sixteen public spaces are indicated in the plan, and their basic design is described in the Code that follows. These are:

- The Pocket Park and Attached Green in the southeast corner of Merchants' Pointe;
- The Decorative Corner Green at the eastern entrance to Merchants' Pointe;
- The 116th Street Square;
- The two Roundabouts at either end of AAA Way;
- The Deep Sidewalk one block north of 116th Street Square;

- The Pocket Park and two Curve Parks at the eastern edge of Merchants' Square;
- The Linear Square within Merchants' Square;
- The pocket park on the northern loop, just east of AAA Way.
- The Mini Turbine at the southwest corner of the Marsh;
- The Detention Green just east of the Post Office; and
- A small Pocket Park at the corner of Merchants' Square Drive and Century Drive.
- The large Triangle Green where Merchant's Square Drive meets AAA Way

Civic Structures: Five specific Civic Structures are required by the Regulating Plan. These are:

- The Central Gateway in 116th Street Square;
- The two Fountains in 116th Street Square;
- The Sitting Pavilion in the Linear Square;
- The Statue in the Detention Green.

Frontages: The Frontage Lines indicated in the Regulating Plan ensure that buildings walls will be properly located to provide successful edges to public spaces.

Frontage Setbacks: Each frontage is marked in the Regulating Plan with an assigned setback distance. This setback is also a build-to line.

Building Heights: Behind its Frontage Line, each building edge is also marked with a minimum and a maximum allowed building height. These height ranges are a function of the desired spatial quality of the enfronting streets, and are tallest in the Plan's most urban areas.

Retail: Ground-floor Retail (or dining/entertainment) Use is required at certain Frontages, allowed at others, and prohibited in the remainder of the plan. These restrictions allow retail to succeed by being properly limited and consolidated at the best locations. The plan also requires all establishments facing 116th Square to have awnings, for a cohesive look.


Vista Terminations: The Plan contains numerous locations where the walls along a street frame a perspectival view of a building – called a vista termination. Buildings located at vista terminations are required to respond with a building element of appropriate size and impact to terminate the vista meaningfully.

Arcades: To give a better sense of enclosure to 116th Square, the buildings that flank its east and west entrances are required to pull up to the curb and place two-story arcades below them. This unique circumstance will probably require a modification to existing ordinances regarding the presence of buildings above rights of way, since the sidewalk is part of the ROW.

Paseos: To ease the passage from parking to shopping, four Paseos pass from 116th Street Square to parking areas behind.

Curb Cuts: Because they undermine sidewalk safety, curb cuts are allowed along frontage lines only in those places specifically indicated in the Plan. They are not regulated in non-Frontage locations, which are less pedestrian-oriented.

A typical block from the Regulating Plan is shown here, including the graphic indicators described above. Note the circled numbers indicating setbacks and min/max building heights, the more and less dense dotted lines indicating required and optional retail frontage, the thin line indicating a required awning, the arcade required to the north, the numbered civic spaces, and the location of a Paseo through the block. The surrounding streets include the names of street types and the location of potential curb cuts and vista terminations.









A typical block from the Regulating Plan.


REGULATING PLAN

THE STREET SECTIONS


THE REGULATING PLAN IS KEYED TO THE FIFTEEN STREET SECTIONS THAT FOLLOW. AS DESCRIBED IN THE EARLIER DISCUSSION OF PEDESTRIAN SAFETY, THE STREET CONFIGURATIONS AND DIMENSIONS ARE KEY TO ENCOURAGING THE DRIVING BEHAVIORS THAT BEFIT A WALKABLE COMMUNITY. FOR THIS REASON, THE DRAWINGS THAT FOLLOW ARE CAREFUL TO CLEARLY INDICATE THE LOCATION AND DIMENSION OF ALL TRAVEL LANES, PARKING LANES, SIDEWALKS, AND PLANTING FACILITIES.




STREET SECTIONS




G. ST-62




I. ST-44




K. ST-26




M. ST-88




H. ST-58



J. ST-50



L. ST-50-OW



N. ST-24

THE DESIGN REGULATIONS

MERCHANTS' SQUARE DESIGN REGULATIONS TABLE OF CONTENTS:

I. Definitions.....	Page X.1
II. Civic Spaces.....	Page X.2
III. Civic Structures	Page X.3
IV. Thoroughfare Design	Page X.3
VI. Parking	Page X.5
VII. Parking Design	Page X.5
VIII. Building Uses	Page X.6
IX: General Building Design.....	Page X.6
X. Heights	Page X.6
XI. Building Fronts	Page X.7
XII. Building Attachments	Page X.8
XIII. Openings	Page X.9
XIV. Roofs	Page X.9
XV. Retail Design	Page X.9
XVI. Retail Signage	Page X.10
XVII. Details	Page X.10
XVIII. Existing Buildings and Uses.....	Page X.10

I. DEFINITIONS

Block: An area surrounded by Streets. Note that Streets are distinct from Rear Lanes, which occur in the middle of Blocks.

Bulbout: An area where the sidewalk expands to include the width of the parking lane in order to narrow a Street's crossing distance.

Civic Space: An open space in the Plan that is neither a right of way nor a platted private property. Civic Spaces may ultimately belong to the City of Carmel, a homeowners' association, or another association identified by the City.

Civic Structures: A structure specifically built to enhance the public realm. Such a structure may stand alone or may constitute part of a public or private building.

Curb Cut: A location where a private drive or driveway crosses a sidewalk along a Frontage.

Frontage: An edge of a property that faces a public space such as a Street or square. Edges along Rear Lanes, for example, are not Frontages. Frontages are marked in the Regulating Plan with Frontage Lines.

Frontage Line: As indicated in the Regulating Plan, a Frontage Line designates the location of a building edge.

Lot-Liner: A thin building containing principally parking spaces at the ground level and apartments above that is used to hide parking lots from sidewalks. Paseo: A principally paved passageway between buildings that connects a rear parking lot to a front sidewalk.

Rear Lane: A public service thoroughfare that provides vehicular access to the rears of properties and the centers of Blocks.

Rear Lane Opening: The corner where a Rear Lane opens onto a Street.

Redevelopment Area: The site proposed for redevelopment, whose boundaries are indicated by the extent of the Merchants' Square Regulating Plan. This Plan explicitly describes only those features that are recommended for redevelopment. For example, Frontages are drawn only where new buildings are recommended.

Regulating Plan: The Merchant's Square Regulating Plan, which applies the details of these Regulations to the Redevelopment Area.

Regulations: When capitalized, the Merchants' Square Design Regulations—this document.

Retail: As used in this document, Retail refers to retail, dining, entertainment, or similar uses.

Rowhouse: A single-family house that is attached on one or both sides to another similar house.

Setback: The distance of a building's primary façade from its front property line.

Street: A public thoroughfare typically handling vehicular, bicycle, and pedestrian traffic, characterized by its location at the fronts of properties. For the purposes the Rear Lane is not a street.

Street Wall: A freestanding masonry wall located along a Frontage Line where no building wall is present.

Vista Termination: As indicated on the Regulating Plan, a location on a building that is perspectively framed by a long view down a Street, and required to receive an appropriately-scaled architectural feature.

II. CIVIC SPACES

Fifteen Civic Spaces are indicated in the Regulating Plan, shown in the most basic schematic design, including the locations of trees and paths. These designs are to be respected, elaborated upon—and/or potentially replaced by something better with City approval. They include the following:

- 1. Pocket Park 1:** This small decorative park fills the space between a curving street and a square corner. It maintains a 5-foot-deep sidewalk on its south and east sides, lined by shade trees located approximately 30-feet-on-center. The center green need not be habitable, and can be either grass or a decorative groundcover.
- 2. Attached Green:** This long green in the southeast corner of Merchants' Pointe creates an amenity for the buildings to its north. It maintains a 5-foot-deep sidewalk on its northern edge, lined by shade trees located approximately 30-feet-on-center, in coordination with the adjacent street trees. The center green shall be grass.
- 3. Decorative Corner Green:** This green at the eastern entrance into Merchants' Pointe is not intended to be inhabited. It shall be entirely surfaced in groundcover and planted with one tree of a species that grows very large.
- 4. 116th Street Square:** This new central square is the principal landscape amenity of the redevelopment, and must be designed and built to the highest standard, and in a way that communicates a pedestrian presence more than an automotive one. For example, the wishbones that occur in the roadway at the eastern and western entrances, rather than being raised dividers, shall take the form of cobble inserts in the roadway. As further detailed in the Street Sections that follow, the travel lanes that enter the end half-roundabouts at 12 feet wide narrow to 10 feet wide once in the square, where they are flanked on both the inboard and outboard sides with 8-foot-wide parallel parking aisles protected by Bulbouts. The perimeter, two ends, and center of the central green are principally paved, while the remainder is surfaced in grass. Each row of street trees in the perimeter sidewalk is paired with a second parallel alley within the green, approximately 15 feet further inboard.

On the outer edges of the roadway, the sidewalk broadens at the four corners of the square, where a single (eventually) large tree shall be planted in a grate to supplement the street trees along the roadway.
- 5. Roundabout 1:** This two-lane Roundabout replaces the current intersection of 116th Street and AAA Way. While its center is entirely decorative and not meant for visiting, it shall hold a ring of ginkgo biloba trees.
- 6. Deep Sidewalk:** At the northwest corner of the intersection of the new north-south main street with Keystone Way East, the building footprint steps slightly westward to add 30 feet to the sidewalk depth. This area, entirely paved, shall be planted with street trees in grates at approximately 30-feet-on-center, in coordination with the adjacent street trees.
- 7. Curve Park 1:** As Keystone Way East curves northward along the Keystone Parkway, its building lots angle at 45 degrees, creating a narrow front green. A 5-foot sidewalk abuts the property line, creating a green area against the street. The sidewalk is lined by shade trees located approximately 30-feet-on-center, in coordination with the adjacent street trees. The center green shall be grass.
- 8. Pocket Park 2:** This small park maintains a 5-foot-deep sidewalk against the fronts of the buildings to its south. This sidewalk heads due north at the eastern end of this row, to reach the street. The presence of this sidewalk eliminates the need for one along the curving street edge. Street trees shall be planted in the green against the street edge at approximately 30-feet-on-center in the standard fashion. The green itself need not be habitable, and can be either grass or a decorative groundcover.
- 9. Curve Park 2:** This park is designed as a mirror image to Curve Park 1.
- 10. Linear Square:** This square is surrounded on both flanks by cars parked head-in at a 60-degree angle, embraced by 90-degree Bulbouts at its northern and southern ends. These ends are paved and each include a fountain or similar feature. The center area (halfway north-south) is also paved, and contains a sitting pavilion. The remainder of the square is

surfaced in a light-color pea gravel, from curb to curb, and furnished with movable metal chairs and tables of the Bryant Park variety. In two rows approximately 3 feet from the curb, a double allee of street trees is planted approximately 30-feet-on-center. The hoods of parked cars are hidden from the squares center by a continuous evergreen hip-height hedge.

- 11. Mini Turbine Green:** As AAA Way intersects Merchants' Square Drive at the southeast corner of the Marsh, it angles west to avoid the new liner building against the Marsh's west flank. This transition is handled by a small stretched roundabout, whose center Island is about 30 feet across and as long as anticipated truck motions will allow. It contains street trees located approximately 30 feet on center.
- 12. Pocket Park 3:** The plan slightly reconfigures the parking lots at the corner of Merchants' Square Drive and Century Drive to embrace a corner tree with two Lot-Liner buildings. The resulting small square shall include paved paths reaching to the front doors of these two buildings, and shall maintain the lawn around the tree.
- 13. Triangle Green:** The intersection Merchants' Square Drive and Medical Drive is reconfigured to create a triangular green of significant size. Lined by its street trees, this green contains a central open area that shall be programmed with a public use such as a tot lot.
- 14. Detention Green:** The drainage green to the east of the Post Office is already lined by a good screen of evergreens. As the street edge is rebuilt in the reconstruction of AAA Way, the chain link fence along this edge shall be replaced by something more attractive. The northeast corner sidewalk shall be broadened to receive the Detention Green Statue.
- 15. Pocket Park 4:** An L-shaped building lot just east of the corner of AAA Way and the new northern loop road creates a small triangular park at its front. This park shall be lined with a 5-foot-wide sidewalk along its northern and eastern edges, located 6 feet from the building front. Its center shall be surfaced in ground cover. Street trees located approximately 30-feet-on-center should be planted to the south of the northern sidewalk.

16. Roundabout 2: This two-lane Roundabout replaces the current intersection of AAA Way with Carmel Drive. It shall be landscaped identically to Roundabout 1.

III. CIVIC STRUCTURES

The Regulating Plan designates 6 distinct Civic Structures designed to play important placemaking roles within the community. They are as follows:

- 1. Central Gateway:** The location where the new main street crosses the 116th Street Square is an extremely important spot in the redevelopment, as pedestrians need to feel welcomed across the Square from one side of 116th Street to the other. The north-south path shall be framed with an archway or other such pavilion of significant size that provides shade and places to sit.
- 2. Fountain 1:** Views along 116th Street into the new Square shall be terminated on a vertical fountain surrounded by benches in this location. Note that this fountain is also located so that it is framed by views through Paseos to the north and south.
- 3. Fountain 2:** This fountain is designed as a mirror image to Fountain 1.
- 4. Sitting Pavilion:** This structure within the linear square shall provided a shaded place for shoppers to sit on benches.
- 5. Detention Green Statue:** A vertical feature such as a sculpture on a pedestal shall be placed at the green's northeast corner where it terminates vistas from the new street to its east. Ideally, this feature shall be a memorial of some sort.

IV. THOROUGHFARE DESIGN

Curbs: Curbs shall be vertical without horizontal lips (no gutter pans). Roll-over or rounded curbs are only permitted where required to facilitate truck motions.

Crosswalk Materials: Crosswalks shall be located to continue all sidewalk trajectories across all intersections and shall be surfaced in a material that contrasts with the Street surface.

Left Hand Turn Lanes: Left hand turn lanes shall be limited to the shortest length deemed reasonable to handle peak turning demands.

Bulbouts: Bulbouts only surround parallel parking along 116th Street, Carmel Drive, and at the exits of roundabouts. They surround head-in parking at all corner locations and additionally where appropriate to receive crosswalks.

Curb Radii: The curb return radius at Street corners shall be 10 feet at corners without Bulbouts and 15 feet at corners with Bulbouts (with exceptions surrounding the Roundabouts). The curb return radius at Rear Lane ends shall be 5 feet. If such radii are not adequate to provide for the turning motions of trucks—with the truck allowed to swerve temporarily into the opposing lane—then they may be increased by only as much as is necessary to make such turning motions possible.

Curb Cuts: Curb Cuts are permitted at Frontages only in those locations specifically indicated in the Plan. Standard Curb Cuts may not exceed 18 feet in width, plus 3 feet corner curb radii where necessary. Residential Curb Cuts, also indicated, may not exceed 12 feet in width, plus 1 foot corner curb radii where necessary. Curb cuts are not regulated in non-Frontage locations.

Street Planting: The street-tree pattern shall be spaced consistently at the approximate distances described in the Thoroughfare Types above. Street trees shall be located at corners as described ahead, and then spaced regularly from corner to corner. At corners, the corner tree's distance from the intersection shall be ten feet further from the intersection than a line that extends (across the sidewalk) the front property line of the property around the corner.

Tree Type/Quality: Each Street shall have a single consistent tree type for its entire length. Street trees shall have a minimum height of 10 feet and a minimum caliper of 3 inches at time of planting.

Lighting: Street lights shall be located at the outer edge of all sidewalks, shall be 10 feet to 15 feet tall, and shall be spaced regularly. The light spacing distance on a given Street shall range from 20 feet on-center in retail locations to 50 feet on-center in residential locations, to be further documented in a street lighting plan.

Lighting Standards: Streetlighting standards shall be sized appropriately to their low height, and shall use an energy-efficient L.E.D. lamps. Lights shall not be sized and located around the goal of providing uniform coverage, as varying lighting levels are more attractive to pedestrians.

Sidewalk Objects: Any fire hydrants, mailboxes, parking meters, bicycle racks, or other impediments to foot traffic shall be located in the planting zone towards the curb. Benches shall be provided at retail Frontages at a minimum of one per Block face. Benches shall be located facing the Street with their backs against the building fronts. Benches built into building facades are encouraged and may encroach upon the sidewalk to a max. depth of 2 feet. Bicycle Racks are required at a minimum of one per 200 linear feet of sidewalk edge on all streets.

Arcade Edges: Where new streets are built against existing arcades, these streets shall locate their curbs 12 to 18 inches from the outer arcade edge.

Rear Lanes: Wherever possible, Rear Lanes shall be the principal location of utilities such as water, sewer, electricity, gas, cable television, and trash pickup. Rear Lanes may be used for large commercial deliveries but not for mail or package service. Rear Lanes shall have a reverse crown, with French drains where necessary. Transformers, lift stations, traffic-control boxes, utility meters, HVAC equipment, and other such machinery shall not be located at Frontages or where they are readily visible at Frontages, but shall instead be located in Rear Lanes and parking lots.

VI. PARKING

General Approach: Parking demand in mixed-use development functions differently from parking demand in conventional suburban development, for several reasons:

- A pedestrian-friendly environment allows people to walk rather than drive such that, for example, a resident or office worker does not need a parking space at a nearby store or restaurant.
- Large amounts of on-street parking contribute to the number of spaces available.
- A collective parking supply (rather than site-by-site) allows the system to function and be regulated as an integrated organism.
- Complementary uses surrounding the collective parking supply allow spaces to serve different functions around the clock, such that, for example, a single space can serve an office worker during the day and a resident at night.

These four factors—a park-once environment, on-street parking, collective supply, and complimentary loads—all impact the off-street parking requirements, as follows:

Park-Once Environment: Efficiencies due to increased pedestrian activity lead to the following general requirements:

- All Residential uses shall provide a minimum of 1.5 spaces per unit, on or off site.
- All other uses shall provide a minimum of 3 spaces per 1000 interior square feet, on or off-site. Sidewalk dining is encouraged and thus shall not count towards this total.

On-Street Parking: Parking supply calculations shall include adjacent on-street parking spaces as the full equivalent of off-street parking spaces.

Collective Parking Supply: Parking calculations may be made comprehensively across multi-Block areas. If not otherwise assigned, any spot within a 3-minute walk (1000 feet) of its use may be counted towards that use.

Complimentary Loads: The minimum required quantity of parking may be reduced when shared parking is used. The following share factors shall be used to determine the reductions due to shared parking:

- Residential and Office: 1.4
- Residential and Retail: 1.2
- Residential and Lodging: 1.1
- Office and Retail: 1.3
- Office and Lodging: 1.7
- Retail and Lodging: 1.3

To determine the Shared Parking Factor, divide the sum of the parking requirements for two functions by the applicable ratio to arrive at the total number of required spaces. For example, a combination of 10,000 square feet of retail and 40 apartments would be required to provide on- and off-street parking totaling $((10 * 3) + (40 * 1.5)) / 1.2 = (30 + 60) / 1.2 = 75$ spaces.

Shared parking, to qualify as such, shall be located within 500 feet of each use.

VII. PARKING DESIGN

Structured Parking: In all locations, the ground floors of parking structures shall contain a habitable edge at Frontages. Where garage upper stories face Frontages, these shall be detailed to resemble habitable buildings. Along the 116th Street square, any parking structures shall be hidden behind a habitable edge for their full height. Entries into structured parking lots shall be no wider than necessary to provide required access, and never wider than 30 feet across.

Recommended Structure Location: Although not required, large parking structures are recommended for the block located one block north of 116th

Street Square and the block to the southeast of this Square.

Building Orientation: Buildings that abut Rear Lanes or parking lots at their rears shall allow only secondary access from these edges, maintaining principal orientation towards their Frontages. Specifically:

- Retail uses may provide one rear door (or double-door) for use by employees and suppliers. Supermarkets and other businesses from which the typical buyer leaves with a heavy burden of products may also allow customers to use this door.
- Office and residential uses may have a single rear door (or double-door), but this door shall be clearly hierarchically inferior to the front door.

In both of the above cases, the Frontage door must be located in a place that appears appropriate to a front-loaded business, and must be kept unlocked whenever any other access doors are unlocked.

Paseos: Four Paseos are required into 116th Street Square, aligned with its end fountains. Paseos shall maintain a minimum width of 10 feet, and may be either uncovered or located underneath a continuous upstairs story. Paseo edges are considered Frontages for the purposes of the Regulations. When buildings separate rear parking from front sidewalks, additional Paseos are required such that no more than 400 feet of continuous building edge ever separates rear parking from front sidewalk.

VIII. BUILDING USES

Mixed Use: This plan is intended to include a healthy mix of a wide range of uses, including Retail, Residential, Office, Lodging, Institutional, and other non-nuisance uses.

Office: While not required, it is recommended that limited amounts of office be located nearby large areas of housing in order to make use of empty daytime parking spaces.

Retail Required/Allowed: Ground-floor Retail (or Dining/Entertainment) Use

is required at certain Frontages and allowed at others, as indicated in the Plan. Such use is prohibited at all other Frontages.

Lodging: While not required, it is recommended that a hotel be included in the development. An ideal location is at the southeast corner of 116th Street Square.

Location for Shared Parking: Any large office development shall locate its parking to be shared with a large amount of adjacent residential or hotel units.

IX: GENERAL BUILDING DESIGN

Rowhouse Requirements: Single-sided rowhouses are anticipated against the left flank of the Marsh and also potentially against new parking structures if the Marsh site is redeveloped. All such Rowhouses on a given Block segment shall be attached into a single group. In other words, gaps between Rowhouses shall only occur at streets and drives. Rowhouses shall be between 12 feet and 25 feet in width.

Lot-Liners: These buildings, designed to hide parking lots from view, must line sidewalks with small punched openings at the ground level. These can be glazed or unglazed depending on whether the parking spaces are enclosed by garage doors or open-air. Above the parking are located upstairs apartments, with each pair of apartments separated by a staircase that gives to a front door (or opening) against the sidewalk. These apartments may be one or two stories tall, with any second story typically (but not necessarily) located in the roof, lit by dormers. Balconies overlooking the sidewalk are recommended but not required.

X. HEIGHTS

Building Heights: Each Frontage is assigned a minimum and a maximum allowed building height, as further defined in the Regulations. When two different height requirements meet at a corner, the taller requirement takes

precedence around the corner to a distance of at least 30 feet but no more than 80 feet from the Frontage Line. Heights are measured in reference to the sidewalk at the center of the front façade.

Attics: Buildings may contain an additional story in the roof if the floor of said story is no more than 3 feet below the eave line.

Towers: To encourage an interesting skyline, building areas with a footprint of less than 200 square feet shall have no height limit.

Story Heights: Retail spaces shall have a minimum ceiling height of 12 feet, but 18 feet is recommended. Office spaces shall have a minimum ceiling height of 10 feet. Residential spaces shall have a minimum ceiling height of 8 feet for upper stories and 9 feet for the first floor.

Ground Floor Heights: All retail spaces shall be located on a ground floor placed at grade. Buildings with residential first floors shall locate all first-floor residences a minimum of 18 inches above adjacent sidewalk grade. Handicapped access, when provided on a building with an elevated first floor, shall be located in non-Frontage locations whenever possible.

Tall Frontages: One-story commercial buildings, where permitted, shall maintain a minimum 20 foot parapet height at the Frontage Line.

XI. FRONTS

Frontages: The Regulating Plan distinguishes between Frontages and other block faces. Frontages require a higher level of urban performance, as further defined in the Regulations.

Frontage Setbacks: All Frontages are assigned Setbacks in the Plan. These Setbacks are also Build-To Lines: they specify the proper location of the building façade, as further defined in these Regulations.

Percent Frontages: All buildings shall place a building edge along no less than 75% of their Frontage Lines. The small gaps in Frontage allowed by

that percentage shall not occur at building corners, with the exception that corners may be rounded or chamfered.

Street Walls: With the exception of freestanding single-family houses, all buildings shall place a Street Wall along those portions of the Frontage Line where no building is present. (Where a portion of a building is set back from the Frontage Line, such a wall is not required.) Said wall shall be between 18 inches and 3 feet in height. Street Walls at Frontages may contain gates for pedestrian access, and openings for vehicular access in locations where Curb Cuts are explicitly allowed.

Sight Triangles: While they improve visibility, sight triangles increase vehicle speeds and can undermine pedestrian safety. Any requirements pertaining to sight triangles in currently enforced codes shall be waived when in conflict with the Frontage Lines in the Regulating Plan, or with these Regulations' tree-planting requirements.

Rear Lane Openings: To limit views into Rear Lanes, all buildings at Rear Lane entrance corners shall maintain a 0-foot setback from the Rear Lane at the corner.

Vista Terminations: The Plan contains numerous locations on buildings that are perspectively framed by a long view down a Street—called a Vista Termination. Buildings located at Vista Terminations shall respond with a building element of appropriate size and impact to terminate the vista meaningfully. These shall be aligned properly to be framed symmetrically in the vista. Proper Vista Terminations include large bay windows, prominent gables, grouped window compositions, towers, and cupolas.

Materials: Building materials shall be used in a manner appropriate to their intrinsic formal properties, including their structural capacities as demonstrated in openings and spans. Metal elements shall be natural colored galvanized steel, stainless steel, anodized or electrostatic plated aluminum, marine-grade aluminum, copper, or bronze. Wood elements shall be painted or sealed with an opaque or semi-solid stain, except walking surfaces, which may be left natural. Siding shall be wood or cementitious (Hardie Board or equivalent) and present 8 inches maximum siding width to the weather. All

stucco shall be steel troweled with no evidence of the mark of the trowel. Sand cement render shall be applied without control joints. Corner beads are prohibited. Exterior trim shall be indistinguishable from wood when painted and shall be sized appropriately to its location.

Wall Configurations: Each building façade shall contain at most two different wall materials (not counting foundation walls and trim). Building walls shall be one color per material used (excluding trim). Materials may only transition across horizontal lines, for example, between building stories, and not across vertical lines, except in the case of attachments such as bay windows. When two materials are stacked horizontally, the heavier-looking material shall sit below the lighter-looking material, such as brick below Hardie-board or stone below stucco. When a material transition occurs around a corner, the transition shall occur at a distance from the corner that is appropriate for the materials represented, for example 12 or 16 inches for brick. Expansion joints shall be a rational part of the wall composition and shall be colored to match the wall. Trim, except at stucco, is required where there is a change in material or plane. Trim around lights, outlets, vents, meters, etc. shall match the wall color, not the object color.

Style: Buildings shall not present a historical pastiche. Buildings designed in a traditional style shall limit themselves to that style alone and shall embody that style convincingly. Keystones, quoins, and superimposed multiple gables (one gable overlapping another) are prohibited. Double front doors are prohibited on single-family homes.

XII. ATTACHMENTS

Arcades: At the east and west entries to 116th Street Square, buildings are required to place Arcades over the sidewalk, and to place interior habitable space against the arcades to a height of five stories minimum. These Arcades shall maintain a height of the first two stories of their buildings. New arcades are not allowed elsewhere in the plan.

Awnings: Awnings are required on all buildings surrounding 116th Square, and allowed elsewhere. Awnings shall be a minimum of 6 feet deep and

shall be metal with colored fabric or glass. Fabric awnings shall have a metal structure covered with canvas or synthetic canvas, and be rectangular in shape with straight edges and no side panels or soffit. Awnings shall not be backlit or used as signs, except for a possible single inscription on the flap, not to exceed 6 inches in height. All awnings on a single shop shall have the same depth, material, and color. Fabric awnings are not permitted on residential buildings.

Location: Any attachments such as bay windows, balconies, porches, stoops, awnings, and eaves shall extend forward of the line of the building front. Single-family houses shall provide either a stoop or a porch at the front door. All other buildings shall provide some form of shelter from rain at the front door.

Encroachments: Awnings and arcades, are the only first-floor attachments allowed to occupy the public right-of-way. On the second floor and above, balconies, bay windows, eaves, lights, and signs may occupy the public right-of-way, as shall the upper stories above the arcades on 116th Street Square. No attachment may extend above a vehicular roadbed at a height of less than 15 feet, or above a sidewalk at a height of less than 7 feet. Attachments other than roof eaves may not extend over adjacent private properties.

Attachment Dimensions: Bay windows and balconies shall be no more than 3 feet deep; stoops shall be 3 feet to 6 feet deep; porches shall be between 6 feet and 10 feet deep.

Limited Balconies: Balconies, porches, and loggias shall not constitute more than 50% of any facade.

Railings: Railings shall have top and bottom rails. The openings between spindles or balusters may not exceed 4 inches. Bottom rails shall clear the floor.

Postal Number: Every building shall have a postal number applied within 5 feet of the entrance area. This may not be taller than six inches, unless constructed as a signature sculptural element.

XIII. OPENINGS

Fenestration Ratio: The ratio of fenestration to area of the building façade shall be between 25% and 75%, except for retail Frontages where it shall be 60% to 95%. Retail establishments shall place windows regularly at all Frontages. Each facade shall be measured independently.

Blank Walls: Walls at Frontages may not be blank, and shall have at least one window per structural bay per floor, in a pattern that suggests habitation.

Window Materials: Windows shall have clear (not tinted) glass.

Window Panes: Each building façade shall be composed of windows that are all constructed from the same size or proportion of window pane, with the exception of a single custom window used in one or several special locations.

Mullions: Mullions, if used, shall either be true divided lights or be affixed to the exterior surface of the window to cast a shadow line. Mullions are recommended for residential windows where stylistically appropriate, and discouraged for retail windows.

Shutters: Vertically hinged shutters, when provided, shall coincide in size to the opening with which they are associated, such that closing them would cover the window area.

Grouped Windows: When two or more windows occur in a single opening or dormer, they shall be separated by a 4"x4" post.

XIV. ROOFS

Rooftop Equipment: The screening of rooftop mechanical equipment is required. All rooftop mechanical equipment shall be screened from view from all directions, and from all elevations of equal height or lower, to minimize the negative aesthetic impact upon the view from neighboring buildings and from street level. Said screening shall be consistent with the architecture of the building.

Dormers: Dormers shall be habitable and sized no larger than necessary to hold window(s) and framing.

Skylights: Bubble skylights shall not be visible at Frontages. Flush skylights, where visible at Primary Frontages, shall be organized into a composed pattern.

XV. RETAIL DESIGN

No Malls: All retail spaces shall give direct access to a public sidewalk. No retail space may exist above the ground floor except as a mezzanine within a space that faces a ground-floor sidewalk.

Awnings: Retail Frontages shall contain awnings for a minimum of 50% of the total retail Frontage.

Kneewall: Front glazing on retail establishments shall begin above a kneewall located 12 inches to 18 inches above sidewalk grade.

Blocked Windows: Drug stores and other commercial tenants shall not place inner partitions in windows that significantly block views into the store.

Interior Lighting: All retail establishments shall be lit in the incandescent (warmer) spectrum, whatever technology is used. Small spotlights are recommended rather than a uniform wash of light.

Sidewalk extension: All retail uses shall pave any Setbacks to match the adjoining sidewalk.

Alcove: All retail uses shall locate their primary entrances within a small additional setback between 30 and 100 square feet in size, paved to match the sidewalk.

Sidewalk Use: Retail establishments are encouraged to place tables, chairs, and temporary displays on the public sidewalk as long a 5-foot-wide clear corridor is maintained for pedestrians. Rails and other barriers separating tables from the pedestrian flow are not permitted (unless state law requires

said rails for alcohol sale), nor is any permanent construction in the public sidewalk. Outdoors, restaurants shall use ceramic, glass, metal and cloth for plates, glasses, silverware, tablecloths and napkins, rather than paper and plastic products.

XVI. RETAIL SIGNAGE

Limitations: The shop-front door, signage and lighting shall be designed as a unified design. There are four types of signage permitted on businesses: a) a signage band, b) a pedestrian blade sign, c) a window logo, and d) an awning band. These are further limited as follows:

Sign Band: Each building may have a single sign band 60% maximum of the width of the building Frontage max., with a height not to exceed eighteen inches. If a building hold multiple tenants, the use of the sign band width shall be divided among tenants on a pro-rata basis determined by their ground-floor square footage. The sign shall be integrally designed with the building or the associated storefronts in material and color. The sign band may not be internally lit.

Blade Sign: One two-sided blade sign is permitted for each business with a door on the sidewalk level. The blade sign shall be securely affixed to the facade or storefront and may project over the sidewalk so long as it does not interfere with pedestrian flow. The blade sign may not exceed 4 square feet (including mounting hardware) in area in any shape and may not be translucent.

Logo: A logo inscribed on the storefront glass is permitted (one per business per building face), or the name of the store in permanently-affixed cutout lettering. Logos shall not exceed 1 foot in height and lettering shall not exceed 6 inches in height. Upstairs businesses are also allowed logos with the same limitations.

Other Signage: Billboards and other freestanding advertisements are prohibited, as are rooftop, flashing, moving, or intermittently illuminated signs. No sign shall be attached above the second story of any structure..

XVII. DETAILS

Consistency: Streets, squares, and other public spaces shall be designed with a common vocabulary of paving, curbing, fencing and walls, landscaping, signage, and lighting. This does not mean that all details will be consistent, but rather that all details will be understood to belong to the same family and/or era of design.

Block Variety: The appearance of a “project” or of “megabuildings” shall be avoided by not allowing the same exterior design to be used on block after block of buildings. While even smaller units of design are encouraged, no more than 250 feet of continuous Street Frontage may appear to have been designed by a single architect.

Building Variety: Buildings used repeatedly in the plan, such as apartment houses, may only be repeated with similar facades to the degree that such repetition adds up to a total front footage of 300 feet or less. For example, a 60-foot-wide apartment building may be repeated only 5 times. Beyond this point, a truly distinct façade shall be introduced, as if a different architect was responsible.

Eyesores: Antennas, radar dishes, chain link fence, Vinyl fencing, barbed wire, razor wire, and chicken wire shall not be permitted where visible from Primary Frontages. Dumpsters and trash shall be screened behind enclosures built for that purpose, and said enclosures shall not occur at Primary Frontages.

XVIII. EXISTING BUILDINGS AND USES

General: In many locations on the Regulating Plan, requirements are shown for properties containing existing buildings and uses. While these requirements pertain to the replacement of existing buildings and uses with new ones, they do not mandate such replacement, and such redevelopment can only occur with the owner’s consent. Existing uses are thus “grandfathered” in. However, when existing buildings and uses are replaced, they shall be replaced according to the requirements of these Regulations.